abcam

Product datasheet

Anti-UBF1 (phospho S484) antibody [EPR2725(2)] - BSA and Azide free ab250633

Recombinant

RabMAb

4 Images

Overview

Product name Anti-UBF1 (phospho S484) antibody [EPR2725(2)] - BSA and Azide free

Description Rabbit monoclonal [EPR2725(2)] to UBF1 (phospho S484) - BSA and Azide free

Host species Rabbit

Tested applications
Suitable for: IHC-P, WB
Species reactivity
Reacts with: Human

Predicted to work with: Mouse, Rat

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

General notes ab250633 is the carrier-free version of <u>ab182583</u>.

Our <u>carrier-free</u> antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our **conjugation kits** for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar[®] Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

1

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C. Do Not Freeze.

Storage buffer pH: 7.2

Constituent: PBS

Carrier free Yes

Purity Protein A purified

ClonalityMonoclonalClone numberEPR2725(2)

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab250633 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
WB		Use at an assay dependent concentration. Detects a band of approximately 94-97 kDa (predicted molecular weight: 89 kDa).

Target

Function Recognizes the ribosomal RNA gene promoter and activates transcription mediated by RNA

polymerase I through cooperative interactions with the transcription factor SL1/TIF-IB complex. It

binds specifically to the upstream control element.

Sequence similarities Contains 6 HMG box DNA-binding domains.

Post-translational


Cellular localization

Phosphorylated and activated by PIK3CA.

modifications

Nucleus > nucleolus.

Images



Western blot - Anti-UBF1 (phospho S484) antibody [EPR2725(2)] - BSA and Azide free (ab250633) **All lanes :** Anti-UBF1 (phospho S484) antibody [EPR2725(2)] (ab182583) at 1/10000 dilution

Lane 1: Nocodazole treated HeLa cell lysate

Lane 2: HeLa cell lysate

Lysates/proteins at 10 µg per lane.

Secondary


All lanes : Goat Anti-Rabbit lgG, (H+L), Peroxidase conjugate at 1/1000 dilution

Predicted band size: 89 kDa

This data was developed using <u>ab182583</u>, the same antibody clone in a different buffer formulation.

Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-UBF1 (phospho S484) antibody [EPR2725(2)] - BSA and Azide free (ab250633)

This data was developed using <u>ab182583</u>, the same antibody clone in a different buffer formulation.Immunohistochemical analysis of paraffin-embedded Human colon tissue labeling UBF1 with <u>ab182583</u> at 1/100 dilution followed by prediluted HRP Polymer for Rabbit lgG. Counter stained with Hematoxylin. Perform heat mediated antigen retrieval with EDTA buffer pH 9 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-UBF1 (phospho S484) antibody [EPR2725(2)] - BSA and Azide free (ab250633)

This data was developed using <u>ab182583</u>, the same antibody clone in a different buffer formulation.Immunohistochemical analysis of paraffin-embedded Human squamous cell carcinoma of cervix tissue labeling UBF1 at 1/100 dilution followed by prediluted HRP Polymer for Rabbit lgG. Counter stained with Hematoxylin. Perform heat mediated antigen retrieval with EDTA buffer pH 9 before commencing with IHC staining protocol.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors