


Anti-ZNHIT2 antibody ab126133

[1 References](#) [2 Images](#)

Overview

| | |
|----------------------------|---|
| Product name | Anti-ZNHIT2 antibody |
| Description | Rabbit polyclonal to ZNHIT2 |
| Host species | Rabbit |
| Tested applications | Suitable for: ICC/IF, WB |
| Species reactivity | Reacts with: Mouse, Human Predicted to work with: Cow  |
| Immunogen | Recombinant fragment, corresponding to a region within amino acids 1-233 of Human ZNHIT2 |
| Positive control | Mouse testis whole cell lysate; HeLa cells. |
| General notes | <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p> |

Properties

| | |
|-----------------------------|--|
| Form | Liquid |
| Storage instructions | Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle. |
| Storage buffer | pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 78.99% PBS, 1% BSA, 20% Glycerol (glycerin, glycerine) |
| Purity | Immunogen affinity purified |
| Clonality | Polyclonal |
| Isotype | IgG |

Applications

The **Abpromise guarantee** Our **Abpromise guarantee** covers the use of ab126133 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


| Application | Abreviews | Notes |
|-------------|-----------|---|
| ICC/IF | | 1/500. |
| WB | | 1/500 - 1/3000. Predicted molecular weight: 43 kDa. |

Target

Tissue specificity Low expression in most tissues; highly expressed in testis.


Sequence similarities Contains 1 HIT-type zinc finger.

Images



Paraformaldehyde-fixed HeLa (human epithelial cell line from cervix adenocarcinoma) cells stained for ZNHIT2 (green) using ab126133 at 1/500 dilution in ICC/IF. The lower panel is costained with Hoechst 33342.

Immunocytochemistry/ Immunofluorescence - Anti-ZNHIT2 antibody (ab126133)



Anti-ZNHIT2 antibody (ab126133) at 1/1000 dilution + Mouse testis whole cell lysate at 50 µg

Predicted band size: 43 kDa

Western blot - Anti-ZNHIT2 antibody (ab126133)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors