

Product datasheet

Recombinant human Activin Receptor Type IA (mutated R206H) protein ab167922

5 Images

| Description                |   |
|----------------------------|---|
| Product name               | Recombinant human Activin Receptor Type IA (mutated R206H) protein  |
| Biological activity        | The specific activity of ab167922 was determined to be 6 nmol/min/mg.   |
| Purity                     | > 95 % Densitometry.<br>Affinity purified.  |
| Expression system          | Baculovirus infected Sf9 cells  |
| Accession                  | <u>Q04771</u>   |
| Protein length             | Protein fragment  |
| Animal free                | No  |
| Nature                     | Recombinant   |
| Species                    | Human   |
| Sequence                   | RKFKRRNQERLNPRDVEYGTIEGLITTNVGDSTLADLLDHS<br>CTSGSGSGL<br>PFLVQRTVAHQITLLECVGKGRYGEVWRGSWQGENVAVK<br>IFSSRDEKSWF<br>RETELYNTVMLRHENILGFASDMTSRHSSTQLWLITHYHE<br>MGSLYDYLQ<br>LTTLDTVSCLRVLSIASGLAHLHIEIFGTQGKPAIAHRDLKS<br>KNILVKK<br>NGQCCIADLGLAVMHSQSTNQLDVGNNPRVGTKRYMAPE<br>VLDETIQVDCF<br>DSYKRVDIWAFLVLWEVARRMVSNQVEDYKPPFYDVV<br>PNDPSFEDMRK<br>VVCVDQQRPNIPNRWFSIPTLTSLAKLMKECWYQNPSAR<br>LTALRIKKTLT KIDNSLDKLTDC |
| Predicted molecular weight | 67 kDa including tags   |
| Amino acids                | 147 to 509  |
| Tags                       | proprietary tag N-Terminus  |

Specifications

Our Abpromise guarantee covers the use of **ab167922** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

|                     |                    |
|---------------------|--------------------|
| <b>Applications</b> | Western blot       |
|                     | Functional Studies |
|                     | SDS-PAGE           |
| <b>Form</b>         | Liquid             |

---

## Preparation and Storage

|                              |   |
|------------------------------|---|
| <b>Stability and Storage</b> | Shipped on dry ice. Upon delivery aliquot and store at -80°C. Avoid freeze / thaw cycles.<br>pH: 7.50<br>Constituents: 0.31% Glutathione, 0.002% PMSF, 0.004% DTT, 0.79% Tris HCl, 0.003% EDTA, 25% Glycerol (glycerin, glycerine), 0.88% Sodium chloride<br>This product is an active protein and may elicit a biological response in vivo, handle with caution. |
|------------------------------|---|


---

## General Info

|                               |  |
|-------------------------------|--|
| <b>Function</b>               | On ligand binding, forms a receptor complex consisting of two type II and two type I transmembrane serine/threonine kinases. Type II receptors phosphorylate and activate type I receptors which autophosphorylate, then bind and activate SMAD transcriptional regulators. Receptor for activin. May be involved for left-right pattern formation during embryogenesis.   |
| <b>Tissue specificity</b>     | Expressed in normal parenchymal cells, endothelial cells, fibroblasts and tumor-derived epithelial cells.  |
| <b>Involvement in disease</b> | Defects in ACVR1 are a cause of fibrodysplasia ossificans progressiva (FOP) [MIM:135100]. FOP is a rare autosomal dominant disorder of skeletal malformations and progressive extraskeletal ossification. Heterotopic ossification in FOP begins in childhood and can be induced by trauma or may occur without warning. Bone formation is episodic and progressive, leading to extra-articular ankylosis of all major joints of the axial and appendicular skeleton, rendering movement impossible. |
| <b>Sequence similarities</b>  | Belongs to the protein kinase superfamily. TKL Ser/Thr protein kinase family. TGFB receptor subfamily.<br>Contains 1 GS domain.<br>Contains 1 protein kinase domain.   |
| <b>Cellular localization</b>  | Membrane.  |


---

## Images




The specific activity of Activin Receptor Type IA (ab167922) was determined to be 6.5 nmol/min/mg as per activity assay protocol

Functional Studies - Recombinant human Activin Receptor Type IA (mutated R206H) protein (ab167922)




SDS PAGE analysis of ab167922

SDS-PAGE - Recombinant human Activin Receptor Type IA (mutated R206H) protein (ab167922)




SDS PAGE analysis of ab167922

SDS-PAGE - Recombinant human Activin Receptor Type IA (mutated R206H) protein (ab167922)



Sample Kinase Assay showing the specific activity of ab167922 as 6 nmol/min/mg.

Functional Studies - Recombinant human Activin Receptor Type IA (mutated R206H) protein (ab167922)



SDS-PAGE analysis of ab167922.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors