# abcam

# Product datasheet

# Recombinant Mouse Apolipoprotein E (His tag) ab226314

1 References 1 Image

**Description** 

Product name Recombinant Mouse Apolipoprotein E (His tag)

Purity > 90 % SDS-PAGE.

Expression system Escherichia coli

Accession P08226

Protein length Full length protein

Animal free No

**Nature** Recombinant

Species Mouse

Sequence EGEPEVTDQLEWQSNQPWEQALNRFWDYLRWVQTLSD

**QVQEELQSSQVTQ** 

ELTALMEDTMTEVKAYKKELEEQLGPVAEETRARLGKEV

QAAQARLGADM

**EDLRNRLGQYRNEVHTMLGQSTEEIRARLSTHLRKMRKRL** 

MRDAEDLQKR

LAVYKAGAREGAERGVSAIRERLGPLVEQGRQRTANLGA

GAAQPLRDRAQ

AFGDRIRGRLEEVGNQARDRLEEVREHMEEVRSKMEEQT

QQIRLQAEIFQ

ARLKGWFEPIVEDMHRQWANLMEKIQASVATNPIITPVAQ

**ENQ** 

Predicted molecular weight 38 kDa including tags

Amino acids 19 to 311

Tags His tag N-Terminus

Additional sequence information This product is the mature full length protein from an 19 to 311. The signal peptide is not included.

**Specifications** 

Our <u>Abpromise guarantee</u> covers the use of ab226314 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

1

Applications SDS-PAGE

Form Liquid

#### **Preparation and Storage**

# Stability and Storage

Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.

pH: 7.2

Constituents: 50% Glycerol (glycerin, glycerine), Tris buffer

#### **General Info**

#### **Function**

Mediates the binding, internalization, and catabolism of lipoprotein particles. It can serve as a ligand for the LDL (apo B/E) receptor and for the specific apo-E receptor (chylomicron remnant) of hepatic tissues.

# Tissue specificity

Occurs in all lipoprotein fractions in plasma. It constitutes 10-20% of very low density lipoproteins (VLDL) and 1-2% of high density lipoproteins (HDL). APOE is produced in most organs. Significant quantities are produced in liver, brain, spleen, lung, adrenal, ovary, kidney and muscle.

#### Involvement in disease

Defects in APOE are a cause of hyperlipoproteinemia type 3 (HLPP3) [MIM:107741]; also known as familial dysbetalipoproteinemia. Individuals with HLPP3 are clinically characterized by xanthomas, yellowish lipid deposits in the palmar crease, or less specific on tendons and on elbows. The disorder rarely manifests before the third decade in men. In women, it is usually expressed only after the menopause. The vast majority of the patients are homozygous for APOE\*2 alleles. More severe cases of HLPP3 have also been observed in individuals heterozygous for rare APOE variants. The influence of APOE on lipid levels is often suggested to have major implications for the risk of coronary artery disease (CAD). Individuals carrying the common APOE\*4 variant are at higher risk of CAD.

Genetic variations in APOE are associated with Alzheimer disease type 2 (AD2) [MIM:104310]. It is a late-onset neurodegenerative disorder characterized by progressive dementia, loss of cognitive abilities, and deposition of fibrillar amyloid proteins as intraneuronal neurofibrillary tangles, extracellular amyloid plaques and vascular amyloid deposits. The major constituent of these plaques is the neurotoxic amyloid-beta-APP 40-42 peptide (s), derived proteolytically from the transmembrane precursor protein APP by sequential secretase processing. The cytotoxic Cterminal fragments (CTFs) and the caspase-cleaved products such as C31 derived from APP. are also implicated in neuronal death. Note=The APOE\*4 allele is genetically associated with the common late onset familial and sporadic forms of Alzheimer disease. Risk for AD increased from 20% to 90% and mean age at onset decreased from 84 to 68 years with increasing number of APOE\*4 alleles in 42 families with late onset AD. Thus APOE\*4 gene dose is a major risk factor for late onset AD and, in these families, homozygosity for APOE\*4 was virtually sufficient to cause AD by age 80. The mechanism by which APOE\*4 participates in pathogenesis is not known. Defects in APOE are a cause of sea-blue histiocyte disease (SBHD) [MIM:269600]; also known as sea-blue histiocytosis. This disorder is characterized by splenomegaly, mild thrombocytopenia and, in the bone marrow, numerous histiocytes containing cytoplasmic granules which stain bright blue with the usual hematologic stains. The syndrome is the consequence of an inherited metabolic defect analogous to Gaucher disease and other sphingolipidoses. Defects in APOE are a cause of lipoprotein glomerulopathy (LPG) [MIM:611771]. LPG is an uncommon kidney disease characterized by proteinuria, progressive kidney failure, and

uncommon kidney disease characterized by proteinuria, progressive kidney failure, and distinctive lipoprotein thrombi in glomerular capillaries. It mainly affects people of Japanese and Chinese origin. The disorder has rarely been described in Caucasians.

**Sequence similarities** Belongs to the apolipoprotein A1/A4/E family.

Post-translational modifications

Synthesized with the sialic acid attached by O-glycosidic linkage and is subsequently desialylated in plasma. O-glycosylated with core 1 or possibly core 8 glycans. Thr-307 is a minor glycosylation

site compared to Ser-308.


Glycated in plasma VLDL of normal subjects, and of hyperglycemic diabetic patients at a higher

level (2-3 fold).

Phosphorylation sites are present in the extracelllular medium.

Cellular localization Secreted.

# **Images**



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) analysis of ab226314 with 5% enrichment gel and 15% separation gel.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

# Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

# Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors