# abcam

### Product datasheet

## Donkey Anti-Goat IgG H&L (Cy5 ®) preadsorbed ab6566

\* ★ ★ ★ ★ 1 Abreviews 40 References 2 Images

Overview

Product name Donkey Anti-Goat IgG H&L (Cy5 ®) preadsorbed

Host species Donkey

Target species Goat

Tested applications Suitable for: ICC, Flow Cyt, ICC/IF, IHC-P, IHC-Fr, WB, ELISA

**Minimal** 

**cross-reactivity** Chicken, Guinea pig, Hamster, Horse, Mouse, Rabbit, Rat <u>more details</u>

**Immunogen** Goat IgG, whole molecule

**Conjugation** Cy5 ®. Ex: 650nm, Em: 667nm

**Properties** 

Form Liquid

**Storage instructions** Shipped at 4°C. Store at +4°C.

Storage buffer pH: 6.50

Preservative: 0.01% Sodium azide

Constituents: 0.88% Sodium chloride, 1% BSA, 0.424% Potassium phosphate

Purity Immunogen affinity purified

Purification notes This product was prepared from monospecific antiserum by immunoaffinity chromatography using

Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any

unwanted reactivities and extensive dialysis.

Conjugation notes Cy5.29 (Cyanine 5.29-OSu) (Molecular Weight 975 daltons) Absorption Wavelength: 650 nm

Emission Wavelength: 667 nm Fluorochrome/Protein Ratio: 6.0 moles Cy5 per mole of Goat IgG

**Clonality** Polyclonal

**Isotype** IgG

General notes Cy™ and CyDye™ are registered trademarks of Cytiva.

This secondaryantibody is specifically designed for the detection of multiple primary antibodies (polyclonal or monoclonal) of different host species in experiments where cells are simultaneously

labeled without unwanted cross reaction.

1


#### The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab6566 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent dilution.
ICC/IF		1/1000 - 1/5000.
IHC-P		Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.
WB	****(1)	Use at an assay dependent dilution.
ELISA		1/10000 - 1/50000.

#### **Images**




Immunohistochemistry (Frozen sections) - Donkey

Anti-Goat IgG H&L (Cy5®) preadsorbed (ab6566)

Li Q et al. ADAM17 is critical for multipolar exit and radial migration of neuronal intermediate progenitor cells in mice cerebral cortex PLoS One 8:e65703 (2013).

Embryonic brains were fixed in 4% paraformaldehyde in PBS overnight and placed in 15% sucrose/PBS for 12 h and then 30% sucrose/PBS for 24 h at 4°C. Brains were then embedded in OCT (optimum cutting temperature) mounting medium and froze before sectioning at 10 or 20  $\mu$ m. Embryonic cerebral cortex from E14.5, E15.5, E16.5 and E18.5 mice were dissected out and sectioned at 10–15  $\mu$ m for immunohistochemistry experiment with anti-ADAM17 (ab13535) antibody.

Cy5-labeled donkey anti-goat (ab6566) was used as the secondary antibody (Red).



Lanes 2-3: Goat anti-UCP1 at 1/200 dilution

Lane 1: Marker

Lanes 2-3: Mouse brown adipose tissue lysate at 70 µg

#### **Secondary**

Lanes 2-3: Donkey Anti-Goat IgG H&L (Cy5®) preadsorbed

(ab6566) at 1/2500 dilution

Observed band size: 33 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors