abcam

Product datasheet

Donkey Anti-Rabbit IgG H&L (Biotin) preadsorbed ab7082

4 References 1 Image

Overview

Product name Donkey Anti-Rabbit IgG H&L (Biotin) preadsorbed

Host species Donkey

Target species Rabbit

Tested applications Suitable for: ICC/IF, WB, ELISA, Immunomicroscopy, Dot blot, IHC-P, IHC-Fr

Minimal

cross-reactivity Chicken, Cow, Goat, Guinea pig, Hamster, Horse, Human, Mouse, Rat, Sheep more details

Immunogen Full length native Rabbit lgG (purified).

Conjugation Biotin

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

Storage buffer pH: 6.50

Preservative: 0.01% Sodium azide

Constituents: 0.42% Tripotassium orthophosphate, 0.87% Sodium chloride, 1% BSA

Purity Affinity purified

Purification notes Biotinamidocaproate N-Hydroxysuccinimide Ester (BAC) Biotin/Protein Ratio: 10-20 BAC

molecules per Goat IgG molecule

Conjugation notes This product was prepared from monospecific antiserum by immunoaffinity chromatography using

Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any

unwanted reactivities

Clonality Polyclonal

Isotype IgG

Applications

1

The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab7082 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF		
WB		
ELISA		
Immunomicroscopy		
Dot blot		
IHC-P		
IHC-Fr		

Application notes

Dot: Use at an assay dependant dilution.


ELISA: 1/50000 - 1/200000.

IHC-P: Use at an assay dependant dilution.
IHC-Fr: Use at an assay dependant dilution.
IM: Use at an assay dependant dilution.
WB: Use at an assay dependant dilution.

Not tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

Images



Immunohistochemistry (Frozen sections) - Donkey Anti-Rabbit IgG H&L (Biotin) preadsorbed (ab7082) ab7082 was used at dilution 1/200 with the primary antibody ab77512 in IHC-Fr. See the review on ab77512.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

• Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors