

Product datasheet

Goat F(ab) Anti-Mouse IgG H&L (Texas Red ®) ab6723

2 References

Overview

| | |
|----------------------------|---|
| Product name | Goat F(ab) Anti-Mouse IgG H&L (Texas Red ®) |
| Host species | Goat |
| Target species | Mouse |
| Specificity | Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum. No reaction was observed against anti-Pepsin or anti-Goat IgG F(c). |
| Tested applications | Suitable for: ICC/IF, Flow Cyt, Immunomicroscopy, ELISA |
| Immunogen | Mouse IgG whole molecule |
| Conjugation | Texas Red ®. Ex: 596nm, Em: 620nm |

Properties

| | |
|-----------------------------|---|
| Form | Liquid |
| Storage instructions | Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle. |
| Storage buffer | pH: 6.50 Preservative: 0.01% Sodium azide Constituents: 0.42% Tripotassium orthophosphate, 0.87% Sodium chloride, 1% BSA BSA is IgG and protease free |
| Purification notes | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. |
| Conjugation notes | Texas Red Sulfonyl Chloride (Molecular Weight 625 daltons) Absorption Wavelength: 596 nm Emission Wavelength: 620 nm Fluorochrome/Protein Ratio: 1.0 moles Texas Red per mole of Goat IgG Fab |
| Clonality | Polyclonal |
| Isotype | IgG |

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab6723 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes |
|------------------|-----------|-------|
| ICC/IF | | |
| Flow Cyt | | |
| Immunomicroscopy | | |
| ELISA | | |

Application notes

Flow Cyt: Use at an assay dependent dilution.

IM: Use at an assay dependent dilution.

Suitable for other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.

Not tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors