abcam

Product datasheet

Goat F(ab) Anti-Rabbit IgG H&L (TRITC) ab7051

3 References

Overview

Product name Goat F(ab) Anti-Rabbit IgG H&L (TRITC)

Host species Goat

Target species Rabbit

Specificity Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein and

anti-Goat Serum. No reaction was observed against anti-Papain or anti-Goat IgG F(c).

Tested applications Suitable for: ICC/IF, Flow Cyt, Immunomicroscopy, ELISA

Immunogen Rabbit IgG whole molecule

Conjugation TRITC. Ex: 547nm, Em: 572nm

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

Storage buffer pH: 6.50

Preservative: 0.01% Sodium azide

Constituents: 0.42% Tripotassium orthophosphate, 0.87% Sodium chloride, 1% BSA

BSA is IgG and protease free

Purification notes This product was prepared from monospecific antiserum by immunoaffinity chromatography using

Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any

unwanted reactivities, papain digestion and chromatographic separation.

Conjugation notes Tetramethylrhodamine isothiocyanate (TRITC) (Molecular Weight 444 daltons) Absorption

Wavelength: 550 nm Emission Wavelength: 570 nm Fluorochrome/Protein Ratio: 2.0 moles

TRITC per mole of Goat IgG Fab

Clonality Polyclonal

Isotype IgG

Applications

1

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab7051 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes |
|------------------|-----------|-------|
| ICC/IF | | |
| Flow Cyt | | |
| Immunomicroscopy | | |
| ELISA | | |

Application notes

Flow Cyt: Use at an assay dependent dilution.

IM: Use at an assay dependent dilution.

Suitable for other antibody based fluorescent assays requiring extremely low background levels,

absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.

Not tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

. Guarantee only valid for products bought direct from Abcam or one of our authorized distributors