

Kit Summary

Product Code(s) AB117124
Product name DNA Isolation & Bisulfite Conversion Kit

DNA Denature Solution

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Sodium hydroxide	215-185-5	1310-73-2	20	C; R35	Skin Corr. 1A (H314)	no data available

DNA Modifier Powder

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Sodium bisulfite	231-548-0	7631-90-5	50	Xn;R22 R31 R41	Eye Dam. 1 (H318) Acute Tox. 4 (H302) (EUH031)	

GHS / CLP - GHS - Classification



Signal Word
Danger

Hazard statements

H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P280 - Wear protective gloves/ eye protection/ face protection
P264 - Wash face, hands and any exposed skin thoroughly after handling
P363 - Wash contaminated clothing before reuse
P310 - Immediately call a POISON CENTER or doctor/ physician
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3 Other information

A safety datasheet follows for all potentially hazardous components – all other components are non-hazardous.

TRANSPORT INFORMATION

<u>DOT</u>	Excepted Quantity
Proper shipping name	Sodium hydroxide solution
Hazard class	8
UN/ID No	1824
Packing group	III

<u>IATA</u>	Excepted Quantity
UN/ID No	1824
Proper shipping name	Sodium hydroxide solution
Hazard class	8
Packing group	III

<u>ADR</u>	Excepted Quantity
Proper shipping name	Sodium hydroxide solution
Hazard class	8
UN/ID No	1824
Packing group	III

Safety Data Sheet

Issuing date no data available

Revision Date 21-Jun-2016

Version 8

1. PRODUCT AND COMPANY IDENTIFICATION

Product name DNA Denature Solution

UN/ID No 1824

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements

H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/ eye protection/ face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P363 - Wash contaminated clothing before reuse

P310 - Immediately call a POISON CENTER or doctor/ physician

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Sodium hydroxide	1310-73-2	10-30	Skin Corr. 1A (H314)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required.
Notes to physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.
Other information	Refer to protective measures listed in sections 7 and 8.

7. HANDLING AND STORAGE

Advice on safe handling	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.
Skin and body protection No special protective equipment required.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	not applicable		

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Corrosive to skin, eyes and/or respiratory tract.

Inhalation Corrosive by inhalation Causes burns

Eye contact Causes burns Corrosive to eyes

Skin contact Corrosive Causes burns

Ingestion Causes burns

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide		1350 mg/kg (Rabbit)	

Chronic toxicity

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen Avoid repeated exposure Possible risks of irreversible effects

Target Organ Effects Eyes. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium hydroxide		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT Excepted Quantity
Proper shipping name Sodium hydroxide solution
Hazard class 8
UN/ID No 1824
Packing group III

IATA Excepted Quantity
UN/ID No 1824
Proper shipping name Sodium hydroxide solution
Hazard class 8
Packing group III

ADR Excepted Quantity
Proper shipping name Sodium hydroxide solution
Hazard class 8
UN/ID No 1824
Packing group III

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard yes
Fire Hazard no
Sudden Release of Pressure Hazard no
Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium hydroxide	X	X	X		X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Sodium hydroxide		Mexico: Ceiling 2 mg/m ³

WHMIS Note: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage

Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Revision Date 21-Jun-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 21-Jun-2016

Version 8

1. PRODUCT AND COMPANY IDENTIFICATION

Product name DNA Modifier Powder

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Serious eye damage/eye irritation	Category 1
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word

Danger

Hazard statements

H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P280 - Wear protective gloves/ eye protection/ face protection

P310 - Immediately call a POISON CENTER or doctor/ physician

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Sodium bisulfite	7631-90-5	30-60	Eye Dam. 1 (H318) Acute Tox. 4 (H302) (EUH031)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required.
Notes to physician	Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Protective equipment and precautions for firefighters	Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions Try to prevent the material from entering drains or water courses.

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up.

7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation.

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium bisulfite 7631-90-5	TWA: 5 mg/m ³	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.

Skin and body protection No special protective equipment required.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available		
Explosion limits	No information available		
Specific Gravity	no data available	solubility	No information available.
Evaporation rate	No information available	Vapor density	no data available
VOC Content(%)	not applicable		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Corrosive to skin, eyes and/or respiratory tract.
Inhalation	Corrosive by inhalation Causes burns
Eye contact	Causes burns Corrosive to eyes
Skin contact	Corrosive Causes burns
Ingestion	Causes burns

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium bisulfite	1420 mg/kg (Rat)		

Chronic toxicity

Chronic toxicity Avoid repeated exposure

Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium bisulfite		Group 3		

IARC: (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Target Organ Effects Eyes. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium bisulfite		240: 96 h <i>Gambusia affinis</i> mg/L LC50 static		119: 48 h <i>Daphnia magna</i> mg/L EC50

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT	Not dangerous goods
IATA	Not dangerous goods
ADR	Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium bisulfite	5000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium bisulfite	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium bisulfite	X	X	X		X

International Regulations

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H318 - Causes serious eye damage H302 - Harmful if swallowed

Hazard statements

H318 - Causes serious eye damage

Revision Date 21-Jun-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS