

Kit Summary

Product Code(s) AB133026
Product name Cyclic GMP ELISA Kit

20X Wash Buffer Concentrate

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Tris HCl	214-684-5	1185-53-1	12.6	Xi; R36/37/38	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	no data available
Tris	201-064-4	77-86-1	2.2	Xi; R36/37/38	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	no data available
Benzalkonium chloride	-	8001-54-5	0.007	C; R34; R42/43	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	no data available
5-Chloro-2-methyl-3-isothiazolone	247-500-7	26172-55-4	0.002	Xn; R20/22 C; R34 R42 R43 N; R50	Skin Corr. 1B (H314) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Aquatic Acute 1 (H400)	no data available
2-methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.001	T; R20/21/22 C; R34; R43 N; R50/53	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	no data available

pNpp Substrate

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Diethanolamine	203-868-0	111-42-2	10	Xn; R22-48/22 Xi; R38-41	STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Acute Tox. 4 (H302)	

Stop Solution

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number

Sodium phosphate tribasic dodecahydrate	-	10101-89-0	10	C; R34	Skin Corr. 1B (H314)	no data available
Sodium azide	247-852-1	26628-22-8	0.09	T+; R27/28 R32 N; R50/53	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available

Assay Buffer 2

Assay Buffer 2

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Sodium azide	247-852-1	26628-22-8	0.09	T+; R27/28 R32 N; R50/53	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	
Zinc sulphate	-	7446-20-0	0.0335	Xn; R22 Xi; R41 N; R50/53	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	

Acetylation kit - Triethylamine

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Triethylamine	204-469-4	121-44-8	50	F; R11 Xn; R20/21/22 C; R35	Flam Liq. 2 (H225) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1A (H314)	no data available

Acetylation kit - Acetic Anhydride

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Acetic anhydride	203-564-8	108-24-7	50	R10 Xn; R20/22 C; R34	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Flam Liq. 3 (H226)	

Cyclic GMP Complete Alkaline Phosphatase Conjugate

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number

Sodium azide	247-852-1	26628-22-8	0.09	T+; R27/28 R32 N; R50/53	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available
Zinc sulphate	-	7446-20-0	0.03	Xn; R22 Xi; R41 N; R50/53	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	no data available

Cyclic GMP Complete Antibody

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Sodium azide	247-852-1	26628-22-8	0.09	T+; R27/28 R32 N; R50/53	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available
Zinc sulphate	-	7446-20-0	0.002	Xn; R22 Xi; R41 N; R50/53	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	no data available

Cyclic GMP Complete Standard

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Ethanol	200-578-6	64-17-5	50	F; R11	Flam Liq. 2 (H225)	

GHS / CLP - GHS - Classification



Signal Word
Danger

Hazard statements

H302 - Harmful if swallowed
H332 - Harmful if inhaled
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H335 - May cause respiratory irritation
H225 - Highly flammable liquid and vapor

Precautionary Statements - EU (§28, 1272/2008)

P310 - Immediately call a POISON CENTER or doctor/ physician
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P370 + P378 - In case of fire: Use foam for extinction
P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P270 - Do not eat, drink or smoke when using this product
P501 - Dispose of contents/ container to an approved waste disposal plant
P271 - Use only outdoors or in a well-ventilated area
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P264 - Wash face, hands and any exposed skin thoroughly after handling
P405 - Store locked up
P403 + P235 - Store in a well-ventilated place. Keep cool
P280 - Wear protective gloves/ eye protection/ face protection
P363 - Wash contaminated clothing before reuse
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P233 - Keep container tightly closed

2.3 Other information

No information available

TRANSPORT INFORMATION

DOT	Excepted Quantity
Proper shipping name	Chemical kit
Hazard class	9
UN/ID No	3316
Packing group	II

IATA	Excepted Quantity
UN/ID No	3316
Proper shipping name	Chemical kit
Hazard class	9
Packing group	II

ADR	Excepted Quantity
Proper shipping name	Chemical kit
Hazard class	9
UN/ID No	3316
Packing group	II

Safety Data Sheet

Issuing date no data available

Revision Date 12-May-2016

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product name 20X Wash Buffer Concentrate

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word

Warning

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P332 + P313 - If skin irritation occurs: Get medical advice/ attention

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/ eye protection/ face protection

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Tris HCl	1185-53-1	7-13	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)
Tris	77-86-1	1-5	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)
Benzalkonium chloride	8001-54-5	<0.1	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)
5-Chloro-2-methyl-3-isothiazolone	26172-55-4	<0.1	Skin Corr. 1B (H314) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Aquatic Acute 1 (H400)
2-methyl-4-isothiazolin-3-one	2682-20-4	<0.1	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Rinse mouth. If symptoms persist, call a physician.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties Not flammable.

Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
Engineering measures	Showers Eyewash stations Ventilation systems
Personal protective equipment	
Eye/face protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available		
Explosion limits	No information available		
Specific Gravity	no data available	solubility	No information available.
Evaporation rate	No information available	Vapor density	no data available
VOC Content(%)	not applicable		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Irritating to skin, eyes and / or respiratory tract.
Inhalation	May cause irritation of respiratory tract
Eye contact	May cause irritation
Skin contact	May cause irritation
Ingestion	Ingestion may cause irritation to mucous membranes

Chronic toxicity

Target Organ Effects	None known.
-----------------------------	-------------

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

California Hazardous Waste Codes 561

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

WHMIS Note: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H335 - May cause respiratory irritation H315 - Causes skin irritation H319 - Causes serious eye irritation

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Revision Date 12-May-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 12-May-2016

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product name pNpp Substrate

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ systemic toxicity (repeated exposure)	Category 2
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word

Danger

Hazard statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P332 + P313 - If skin irritation occurs: Get medical advice/ attention

P362 - Take off contaminated clothing and wash before reuse

P310 - Immediately call a POISON CENTER or doctor/ physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P314 - Get medical advice/ attention if you feel unwell

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/ eye protection/ face protection

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Diethanolamine	111-42-2	7-13	STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Acute Tox. 4 (H302)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required. If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required. If symptoms persist, call a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required. If symptoms persist, call a physician.
Inhalation	Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required. If symptoms persist, call a physician.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required. If symptoms persist, call a physician.
Notes to physician	Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties Not flammable.

Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Protective equipment and precautions for firefighters	Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up.

7. HANDLING AND STORAGE

Advice on safe handling	Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation.
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diethanolamine 111-42-2	TWA: 1 mg/m ³ inhalable fraction and vapor S*	(vacated) TWA: 3 ppm (vacated) TWA: 15 mg/m ³	TWA: 3 ppm TWA: 15 mg/m ³

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures
Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.
Skin and body protection No special protective equipment required.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available		
Explosion limits	No information available		
Specific Gravity	no data available	solubility	No information available.
Evaporation rate	No information available	Vapor density	no data available
VOC Content(%)	10		

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products None known based on information supplied.

Conditions to avoid None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Corrosive to skin, eyes and/or respiratory tract. Irritating to skin, eyes and / or respiratory tract.

Inhalation Corrosive by inhalation Causes burns May cause irritation of respiratory tract

Eye contact Causes burns Corrosive to eyes May cause irritation

Skin contact Corrosive Causes burns May cause irritation

Ingestion Causes burns Ingestion may cause irritation to mucous membranes

Chronic toxicity

Chronic toxicity Avoid repeated exposure

Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Diethanolamine	A3	Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Target Organ Effects Eyes. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Diethanolamine	7.8: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 2.1 - 2.3: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50	4460-4980: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 1200-1580: 96 h <i>Pimephales promelas</i> mg/L LC50 static 600-1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static		55: 48 h <i>Daphnia magna</i> mg/L EC50
Chemical Name			log Pow	
Diethanolamine			-2.18	

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Diethanolamine	111-42-2	10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard yes

Chronic Health Hazard yes

Fire Hazard no

Sudden Release of Pressure Hazard no

Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Diethanolamine	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Diethanolamine	X	X	X	X	X

International Regulations

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H373 - May cause damage to organs through prolonged or repeated exposure H315 - Causes skin irritation H318 - Causes serious eye damage H302 - Harmful if swallowed

Hazard statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

Revision Date 12-May-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 12-May-2016

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Stop Solution
Recommended use	For research use only
Supplier Address	Abcam Inc 1 Kendall Square, Ste 341 Cambridge, MA 02139-1517 USA Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)
E-mail address	technical@abcam.com
Emergency telephone	Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word

Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/ physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P363 - Wash contaminated clothing before reuse

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/ eye protection/ face protection

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Sodium phosphate tribasic dodecahydrate	10101-89-0	7-13	Skin Corr. 1B (H314)
Sodium azide	26628-22-8	<0.1	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required.
Notes to physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.
Other information	Refer to protective measures listed in sections 7 and 8.

7. HANDLING AND STORAGE

Advice on safe handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium azide 26628-22-8	Ceiling: 0.29 mg/m ³ NaN ₃ 0.11 ppm Hydrazoic acid vapor	(vacated) S* (vacated) Ceiling: 0.1 ppm HN ₃ (vacated) Ceiling: 0.3 mg/m ³ NaN ₃	Ceiling: 0.1 ppm HN ₃ Ceiling: 0.3 mg/m ³ NaN ₃

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.

Skin and body protection No special protective equipment required.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	not applicable		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	Incompatible with strong acids and bases. Incompatible with oxidizing agents.
Conditions to avoid	Exposure to air or moisture over prolonged periods.
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Corrosive to skin, eyes and/or respiratory tract.
Inhalation	Corrosive by inhalation Causes burns
Eye contact	Causes burns Corrosive to eyes
Skin contact	Corrosive Causes burns
Ingestion	Causes burns

Chronic toxicity

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen Avoid repeated exposure Possible risks of irreversible effects

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium azide		0.8: 96 h Oncorhynchus mykiss mg/L LC50 0.7: 96 h Lepomis macrochirus mg/L LC50 5.46: 96 h Pimephales promelas mg/L LC50 flow-through		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

US EPA Waste Number P105

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sodium azide - 26628-22-8		P105		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium azide	Ignitable Reactive

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium azide	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium azide	X	X	X		X

International Regulations

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage H300 - Fatal if swallowed H310 - Fatal in contact with skin H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects

Hazard statements

H314 - Causes severe skin burns and eye damage
 H318 - Causes serious eye damage

Revision Date 12-May-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 12-May-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Acetylation kit - Triethylamine

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Acute oral toxicity	Category 4
Acute inhalation toxicity - dust/mist	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ systemic toxicity (single exposure)	Category 3
Ozone	Not applicable
Flammable liquids	Category 2

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements

H302 - Harmful if swallowed
 H332 - Harmful if inhaled
 H314 - Causes severe skin burns and eye damage
 H318 - Causes serious eye damage
 H335 - May cause respiratory irritation
 H225 - Highly flammable liquid and vapor

Precautionary Statements - EU (§28, 1272/2008)

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
 P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
 P312 - Call a POISON CENTER or doctor/ physician if you feel unwell
 P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P370 + P378 - In case of fire: Use foam for extinction
 P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray
 P270 - Do not eat, drink or smoke when using this product
 P501 - Dispose of contents/ container to an approved waste disposal plant
 P271 - Use only outdoors or in a well-ventilated area
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P405 - Store locked up
 P403 + P235 - Store in a well-ventilated place. Keep cool
 P280 - Wear protective gloves/ eye protection/ face protection
 P363 - Wash contaminated clothing before reuse
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 P233 - Keep container tightly closed

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Triethylamine	121-44-8	30-60	Flam Liq. 2 (H225) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1A (H314)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	If symptoms persist, call a physician. Immediate medical attention is required.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. If symptoms persist, call a physician. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.
Ingestion	Rinse mouth. If symptoms persist, call a physician. Do NOT induce vomiting. Immediate medical attention is required.
Notes to physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.
Other information	Refer to protective measures listed in sections 7 and 8.

7. HANDLING AND STORAGE

Advice on safe handling	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethylamine 121-44-8	STEL: 3 ppm TWA: 1 ppm S*	TWA: 25 ppm TWA: 100 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 40 mg/m ³ (vacated) STEL: 15 ppm (vacated) STEL: 60 mg/m ³	IDLH: 200 ppm

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.
Skin and body protection No special protective equipment required.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	50		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	Incompatible with strong acids and bases. Incompatible with oxidizing agents.
Conditions to avoid	Exposure to air or moisture over prolonged periods.
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Harmful if swallowed Harmful by inhalation Corrosive to skin, eyes and/or respiratory tract.
Inhalation	Harmful by inhalation Corrosive by inhalation Causes burns
Eye contact	Causes burns Corrosive to eyes
Skin contact	Corrosive Causes burns
Ingestion	Harmful if swallowed Causes burns

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Triethylamine	460 mg/kg (Rat)	416 mg/kg (570 µl/kg) (Rabbit)	1,000 ppm (4.14 mg/l) (Rat, 4 h)

Chronic toxicity

Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen Avoid repeated exposure Possible risks of irreversible effects May cause adverse liver effects
-------------------------	--

Target Organ Effects	Central Vascular System (CVS). Eyes. Kidney. Liver. Respiratory system. Skin.
-----------------------------	---

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Triethylamine		LC50 (Static) <i>Pimephales promelas</i> (Fathead minnow): 43.7 mg/l (96 h)	EC50 <i>Pseudomonas putida</i> (Bacteria): 95 mg/l (17 h)	EC50 (Static) <i>Daphnia magna</i> (Water flea): 200 mg/l (48 h)
Chemical Name		log Pow		
Triethylamine		1.45		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

US EPA Waste Number U404

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Triethylamine - 121-44-8	U404	Included in waste streams: K156, K157		U404

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Triethylamine	121-44-8	50	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Triethylamine	5000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ

Triethylamine	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
---------------	---------	--	--

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Triethylamine	X	X	X	X	X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Triethylamine		Mexico: TWA 25 ppm Mexico: TWA 100 mg/m ³ Mexico: STEL 40 ppm Mexico: STEL 160 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage
 H302 - Harmful if swallowed
 H312 - Harmful in contact with skin
 H332 - Harmful if inhaled
 H224 - Extremely flammable liquid and vapor

Hazard statements

H302 - Harmful if swallowed
 H332 - Harmful if inhaled
 H314 - Causes severe skin burns and eye damage
 H318 - Causes serious eye damage
 H335 - May cause respiratory irritation
 H225 - Highly flammable liquid and vapor

Revision Date 12-May-2016
Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 12-May-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Acetylation kit - Acetic Anhydride
Recommended use For research use only
Supplier Address Abcam Inc
 1 Kendall Square, Ste 341
 Cambridge, MA 02139-1517
 USA
 Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
 Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)
E-mail address technical@abcam.com
Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Acute oral toxicity	Category 4
Acute inhalation toxicity - dust/mist	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ systemic toxicity (single exposure)	Category 3
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word
 Danger

Hazard statements

H302 - Harmful if swallowed
 H332 - Harmful if inhaled
 H314 - Causes severe skin burns and eye damage
 H318 - Causes serious eye damage
 H335 - May cause respiratory irritation

Precautionary Statements - EU (§28, 1272/2008)

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER or doctor/ physician if you feel unwell

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P501 - Dispose of contents/ container to an approved waste disposal plant

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P271 - Use only outdoors or in a well-ventilated area

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/ eye protection/ face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P363 - Wash contaminated clothing before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Acetic anhydride	108-24-7	30-60	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Flam Liq. 3 (H226)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	If symptoms persist, call a physician. Immediate medical attention is required.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. If symptoms persist, call a physician. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.
Ingestion	Rinse mouth. If symptoms persist, call a physician. Do NOT induce vomiting. Immediate medical attention is required.
Notes to physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<u>Explosion Data</u>	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.
Other information	Refer to protective measures listed in sections 7 and 8.

7. HANDLING AND STORAGE

Advice on safe handling	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic anhydride 108-24-7	TWA: 5 ppm	TWA: 5 ppm TWA: 20 mg/m ³ (vacated) Ceiling: 5 ppm (vacated) Ceiling: 20 mg/m ³	IDLH: 200 ppm Ceiling: 5 ppm Ceiling: 20 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures
Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.
Skin and body protection No special protective equipment required.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	50		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	Incompatible with strong acids and bases. Incompatible with oxidizing agents.
Conditions to avoid	Exposure to air or moisture over prolonged periods.
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Harmful if swallowed Harmful by inhalation Corrosive to skin, eyes and/or respiratory tract.
Inhalation	Harmful by inhalation Corrosive by inhalation Causes burns
Eye contact	Causes burns Corrosive to eyes
Skin contact	Corrosive Causes burns
Ingestion	Harmful if swallowed Causes burns

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic anhydride	630 mg/kg (Rat)	4000 mg/kg (Rabbit)	4.2 mg/L (Rat) 4 h 1000 ppm (Rat) 4 h

Chronic toxicity

Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen Avoid repeated exposure Possible risks of irreversible effects
-------------------------	--

Target Organ Effects	Eyes. Respiratory system. Skin.
-----------------------------	---------------------------------

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Acetic anhydride		265: 48 h Leuciscus idus mg/L LC50		55: 24 h Daphnia magna mg/L EC50
Chemical Name			log Pow	
Acetic anhydride			-0.27	

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic anhydride	5000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetic anhydride	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetic anhydride	X	X	X		X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Acetic anhydride		Mexico: TWA 5 ppm Mexico: TWA 20 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H314 - Causes severe skin burns and eye damage H302 - Harmful if swallowed H332 - Harmful if inhaled H226 - Flammable liquid and vapor

Hazard statements

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Revision Date 12-May-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 12-May-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Cyclic GMP Complete Standard

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Ozone	Not applicable
Flammable liquids	Category 2

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements
H225 - Highly flammable liquid and vapor

Precautionary Statements - EU (§28, 1272/2008)

P370 + P378 - In case of fire: Use foam for extinction

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Ethanol	64-17-5	30-60	Flam Liq. 2 (H225)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** Ensure adequate ventilation.
- Environmental precautions** Try to prevent the material from entering drains or water courses.
- Methods for containment** Prevent further leakage or spillage if safe to do so.
- Methods for cleaning up** Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

- Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.
- Technical measures/Storage conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

- Eye/face protection** No special protective equipment required.
- Skin and body protection** No special protective equipment required.
- Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	50		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanol	7060 mg/kg (Rat)		124.7 mg/L (Rat) 4 h

Chronic toxicity

Chronic toxicity May cause adverse liver effects Contains a known or suspected reproductive toxin

Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Target Organ Effects Blood. Central nervous system (CNS). Eyes. Liver. Reproductive System. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Ethanol		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through		9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
Chemical Name		log Pow		
Ethanol		-0.32		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Ethanol	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Ethanol	64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethanol	X	X	X		X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Ethanol		Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H225 - Highly flammable liquid and vapor

Hazard statements

H225 - Highly flammable liquid and vapor

Revision Date 12-May-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS