

# Safety Data Sheet

Issuing date No data available

Revision Date 03-Feb-2020

Version 5

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** Precast Gel SDS-PAGE 16% (8x10cm,17well)

**Recommended use** For research use only

**Supplier Address** Abcam Inc  
1 Kendall Square, Ste 341  
Cambridge, MA 02139-1517  
USA  
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)  
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

**E-mail address** technical@abcam.com

**Emergency telephone** +1 866 928 0789 (Toll free) /+1 202 464 2554

## 2. HAZARDS IDENTIFICATION

### GHS - Classification

Ozone	Not applicable
-------	----------------

### GHS Label elements, including precautionary statements

Not dangerous

### Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ protective clothing

### Other information

No information available

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Sodium lauryl sulfate	151-21-3	0.1-1	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Chronic 3 (H412)
Acrylamide	79-06-1	<0.1	STOT RE 1 (H372) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Muta. 1B (H340) Carc. 1B (H350) Repr. 2 (H361f) Acute Tox. 3 (H301) Acute Tox. 4 (H312) Acute Tox. 4 (H332)
Bis-acrylamide	110-26-9	<0.1	Acute Tox. 4 (H302) Acute Tox. 4 (H332)

For the full text of the H-Statements mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Clean mouth with water. Drink plenty of water.
<b>Notes to physician</b>	Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

<b>Flammable properties</b>	Not flammable.
<b>Flash point</b>	not determined
<b>Suitable extinguishing media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.
<b>Protective equipment and precautions for firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Ensure adequate ventilation.
<b>Environmental precautions</b>	Try to prevent the material from entering drains or water courses.
<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice.
<b>Technical measures/Storage conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Exposure Guidelines</b>	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
----------------------------	---

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acrylamide 79-06-1	TWA: 0.03 mg/m <sup>3</sup> inhalable fraction and vapor S*	TWA: 0.3 mg/m <sup>3</sup> (vacated) TWA: 0.03 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 60 mg/m <sup>3</sup> TWA: 0.03 mg/m <sup>3</sup>

<b>Engineering measures</b>	Showers Eyewash stations Ventilation systems
-----------------------------	--

### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin and body protection

Long sleeved clothing. Protective gloves.

#### Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

<b>Hygiene measures</b>	Handle in accordance with good industrial hygiene and safety practice.
-------------------------	--

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	No information available.	<b>Odor</b>	No information available.
<b>Odor Threshold</b>	No information available	<b>Physical State @20°C</b>	No information available
<b>pH</b>	No information available	<b>Autoignition temperature</b>	No information available
<b>Flash point</b>	No information available	<b>Boiling point/boiling range</b>	No information available
<b>Decomposition temperature</b>	No information available	<b>Flammability Limits in Air</b>	No information available
<b>Melting point/range</b>	No information available	<b>solubility</b>	No information available.
<b>Explosion limits</b>	No information available	<b>Vapor Pressure @20°C (kPa)</b>	No information available
<b>Specific Gravity</b>	No data available	<b>VOC Content(%)</b>	5.01999999955297
<b>Evaporation rate</b>	No information available		
<b>Vapor density</b>	No data available		

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under recommended storage conditions.
<b>Incompatible products</b>	None known based on information supplied.
<b>Conditions to avoid</b>	None known based on information supplied.
<b>Hazardous decomposition products</b>	None known based on information supplied.
<b>Hazardous polymerization</b>	Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium lauryl sulfate	1200 mg/kg ( Rat )	2000 mg/kg ( Rabbit )	3900 mg/m <sup>3</sup> ( Rat ) 1 h
Acrylamide	124 mg/kg ( Rat )	400 mg/kg ( Rat ) 1680 µL/kg ( Rabbit )	
Bis-acrylamide	390 mg/kg ( Rat )		

### Chronic toxicity

#### carcinogenicity

This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Acrylamide	A3	Group 2A	Reasonably Anticipated	X

#### **IARC: (International Agency for Research on Cancer)**

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**Target Organ Effects** None known.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Acrylamide		103 - 115: 96 h Pimephales promelas mg/L LC50 flow-through 124: 96 h Pimephales promelas mg/L LC50 static 81 - 150: 96 h Lepomis macrochirus mg/L LC50 flow-through 137 - 191: 96 h Oncorhynchus mykiss mg/L LC50 static 74 - 150: 96 h Oncorhynchus mykiss mg/L LC50 flow-through		98: 48 h Daphnia magna mg/L EC50 98: 48 h Daphnia magna mg/L EC50 Flow through
<b>Chemical Name</b>		<b>log Pow</b>		
Sodium lauryl sulfate		1.6		
Acrylamide		-1.24		

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated packaging**

Do not re-use empty containers.

**US EPA Waste Number**

U007

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acrylamide - 79-06-1	U007	Included in waste stream: K014		U007

**14. TRANSPORT INFORMATION**

**DOT**

Not dangerous goods

**IATA**

Not dangerous goods

**ADR**

Not dangerous goods

**15. REGULATORY INFORMATION**

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no

<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	no

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acrylamide	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

**U.S. State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Acrylamide	79-06-1	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Triethanolamine	X	X	X		X
Acrylamide	X	X	X	X	X

**International Regulations**

Chemical Name	Carcinogen Status	Exposure limits
Acrylamide	A3	Mexico: TWA 0.03 mg/m <sup>3</sup> Mexico: STEL 0.06 mg/m <sup>3</sup>

**WHMIS Note:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**16. OTHER INFORMATION****Full text of H-Statements referred to under sections 2 and 3**

H319 - Causes serious eye irritation H372 - Causes damage to organs through prolonged or repeated exposure if inhaled H373 - May cause damage to organs through prolonged or repeated exposure if inhaled H315 - Causes skin irritation H317 - May cause an allergic skin reaction H340 - May cause genetic defects if inhaled H350 - May cause cancer if swallowed H361f - Suspected of damaging fertility H301 - Toxic if swallowed H312 - Harmful in contact with skin H332 - Harmful if inhaled H318 - Causes serious eye damage H302 - Harmful if swallowed H412 - Harmful to aquatic life with long lasting effects

**Revision Date**

03-Feb-2020

**Revision Note**

No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS**