

Kit Summary

Product Code(s) AB150682
Product name Pneumocystis (Microorganism Stain)

Cresyl Echt Violet Solution

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Acetic acid	200-580-7	64-19-7	0.5	R10 C; R35	Skin Corr. 1A (H314) Flam Liq. 3 (H226)	no data available

Naphthol Yellow S Solution

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Ethanol	200-578-6	64-17-5	25	F; R11	Flam Liq. 2 (H225)	
Acetic acid	200-580-7	64-19-7	5	R10 C; R35	Skin Corr. 1A (H314) Flam Liq. 3 (H226)	

GHS / CLP - GHS - Classification



Signal Word
Danger

Hazard statements

H225 - Highly flammable liquid and vapor

Precautionary Statements - EU (§28, 1272/2008)

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P370 + P378 - In case of fire: Use foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P403 + P235 - Store in a well-ventilated place. Keep cool

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3 Other information

A safety datasheet follows for all potentially hazardous components – all other components are non-hazardous.

TRANSPORT INFORMATION

<u>DOT</u>	Limited quantity
Proper shipping name	Ethanol Solution
Hazard class	3
UN/ID No	1170
Packing group	III

<u>IATA</u>	Limited quantity
UN/ID No	1170
Proper shipping name	Ethanol Solution
Hazard class	3
Packing group	III

<u>ADR</u>	Limited quantity
Proper shipping name	Ethanol Solution
Hazard class	3
UN/ID No	1170
Packing group	III

Safety Data Sheet

Issuing date no data available

Revision Date 29-Jul-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Naphthol Yellow S Solution

UN/ID No 1170

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Ozone	Not applicable
Flammable liquids	Category 2

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements
H225 - Highly flammable liquid and vapor

Precautionary Statements - EU (§28, 1272/2008)

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P370 + P378 - In case of fire: Use foam for extinction

P233 - Keep container tightly closed

P403 + P235 - Store in a well-ventilated place. Keep cool

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Ethanol	64-17-5	10-30	Flam Liq. 2 (H225)
Acetic acid	64-19-7	3-7	Skin Corr. 1A (H314) Flam Liq. 3 (H226)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Explosion Data

Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation.

Environmental precautions Try to prevent the material from entering drains or water courses.

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Technical measures/Storage conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
Acetic acid 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m ³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available		
Explosion limits	No information available	solubility	No information available.
Specific Gravity	no data available	Vapor density	no data available
Evaporation rate	No information available		
VOC Content(%)	30		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanol	7060 mg/kg (Rat)		124.7 mg/L (Rat) 4 h
Acetic acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h

Chronic toxicity

Chronic toxicity May cause adverse liver effects Contains a known or suspected reproductive toxin

Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3		Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Target Organ Effects Blood. Central nervous system (CNS). Eyes. Liver. Reproductive System. Respiratory system. Skin. Teeth.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Ethanol		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through		9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
Acetic acid		79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static		47: 24 h Daphnia magna mg/L EC50 65: 48 h Daphnia magna mg/L EC50 Static
Chemical Name			log Pow	
Ethanol			-0.32	
Acetic acid			-0.31	

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Ethanol	Toxic Ignitable
Acetic acid	Toxic Corrosive Ignitable

14. TRANSPORT INFORMATION

DOT Limited quantity
Proper shipping name Ethanol Solution
Hazard class 3
UN/ID No 1170
Packing group III

IATA Limited quantity
UN/ID No 1170
Proper shipping name Ethanol Solution
Hazard class 3
Packing group III

ADR Limited quantity
Proper shipping name Ethanol Solution
Hazard class 3
UN/ID No 1170
Packing group III

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances

Acetic acid	5000 lb			X
-------------	---------	--	--	---

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetic acid	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Ethanol	64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethanol	X	X	X		X
Acetic acid	X	X	X		X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Ethanol		Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m ³
Acetic acid		Mexico: TWA 10 ppm Mexico: TWA 25 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 37 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor H314 - Causes severe skin burns and eye damage H226 - Flammable liquid and vapor

Hazard statements

H225 - Highly flammable liquid and vapor

Revision Date 29-Jul-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS