

Kit Summary

Product Code(s) AB174097
Product name 2-Phosphoglycerate Assay Kit (Colorimetric/Fluorometric)

2PG Assay Buffer

| Chemical Name | EC-No | CAS-No | Weight % | Classification (67/548) | Classification (Reg. 1272/2008) | REACH Registration Number |
|---------------|-------|-----------|----------|----------------------------|--|---------------------------|
| Triton-X-100 | - | 9002-93-1 | 1 | Xn;R22 R41 N; R51/53 | Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Chronic 2 (H411) | no data available |

2PG Probe (in DMSO)

| Chemical Name | EC-No | CAS-No | Weight % | Classification (67/548) | Classification (Reg. 1272/2008) | REACH Registration Number |
|---------------|-----------|-------------|----------|-------------------------|---------------------------------|---------------------------|
| DMSO | 200-664-3 | 67-68-5 | 95 | - | | |
| OxiRed probe | - | 119171-73-2 | 5 | Xn; R22 | Acute Tox. 4 (H302) | |

2PG Converter

| Chemical Name | EC-No | CAS-No | Weight % | Classification (67/548) | Classification (Reg. 1272/2008) | REACH Registration Number |
|------------------|-----------|-----------|----------|-------------------------|---------------------------------|---------------------------|
| Sodium hydroxide | 215-185-5 | 1310-73-2 | 10 | C; R35 | Skin Corr. 1A (H314) | |

GHS / CLP - GHS - Classification



Signal Word
Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P310 - Immediately call a POISON CENTER or doctor/ physician

P280 - Wear protective gloves/ eye protection/ face protection

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3 Other information

Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body

A safety datasheet follows for all potentially hazardous components – all other components are non-hazardous.

TRANSPORT INFORMATION

| | |
|-----------------------------|---------------------------|
| <u>DOT</u> | Excepted Quantity |
| Proper shipping name | Sodium hydroxide solution |
| Hazard class | 8 |
| UN/ID No | 1824 |
| Packing group | III |

| | |
|-----------------------------|---------------------------|
| <u>IATA</u> | Excepted Quantity |
| UN/ID No | 1824 |
| Proper shipping name | Sodium hydroxide solution |
| Hazard class | 8 |
| Packing group | III |

| | |
|-----------------------------|---------------------------|
| <u>ADR</u> | Excepted Quantity |
| Proper shipping name | Sodium hydroxide solution |
| Hazard class | 8 |
| UN/ID No | 1824 |
| Packing group | III |

Safety Data Sheet

Issuing date no data available

Revision Date 15-Jul-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name 2PG Assay Buffer

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

| | |
|-----------------------------------|----------------|
| Serious eye damage/eye irritation | Category 2 |
| Ozone | Not applicable |

GHS Label elements, including precautionary statements



Signal Word

Warning

Hazard statements

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/ eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Chemical Name | CAS-No | Weight % | Classification (Reg. 1272/2008) |
|---------------|-----------|----------|--|
| Triton-X-100 | 9002-93-1 | 1-5 | Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Chronic 2 (H411) |

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

| | |
|---------------------------|---|
| General advice | If symptoms persist, call a physician. |
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. |
| Inhalation | Move to fresh air. If symptoms persist, call a physician. |
| Ingestion | Rinse mouth. If symptoms persist, call a physician. |
| Notes to physician | Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

| | |
|--|--|
| Flammable properties | Not flammable. |
| Flash point | not determined |
| Suitable extinguishing media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | none. |
| Sensitivity to Static Discharge | none. |
| Protective equipment and precautions for firefighters | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|--|
| Personal precautions | Ensure adequate ventilation. |
| Environmental precautions | Try to prevent the material from entering drains or water courses. |
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. |

7. HANDLING AND STORAGE

| | |
|--|--|
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. |
| Technical measures/Storage conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| | |
|--------------------------------------|---|
| Exposure Guidelines | This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. |
| Engineering measures | Showers Eyewash stations Ventilation systems |
| Personal protective equipment | |
| Eye/face protection | No special protective equipment required. |
| Skin and body protection | No special protective equipment required. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| Hygiene measures | Handle in accordance with good industrial hygiene and safety practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|----------------------------------|---------------------------|------------------------------------|---------------------------|
| Appearance | No information available. | Odor | No information available. |
| Odor Threshold | No information available | Physical State @20°C | No information available |
| pH | No information available | Autoignition temperature | No information available |
| Flash point | No information available | Boiling point/boiling range | No information available |
| Decomposition temperature | No information available | Flammability Limits in Air | No information available |
| Melting point/range | No information available | solubility | No information available. |
| Explosion limits | No information available | Vapor density | no data available |
| Specific Gravity | no data available | | |
| Evaporation rate | No information available | | |
| VOC Content(%) | not applicable | | |

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products None known based on information supplied.

Conditions to avoid None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Irritating to skin, eyes and / or respiratory tract.

Inhalation May cause irritation of respiratory tract

Eye contact May cause irritation

Skin contact May cause irritation

Ingestion Ingestion may cause irritation to mucous membranes

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------|--------------------|-------------|-----------------|
| Triton-X-100 | 1800 mg/kg (Rat) | | |

Chronic toxicity

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|--|----|
| Acute Health Hazard | no |
| Chronic Health Hazard | no |
| Fire Hazard | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard | no |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H318 - Causes serious eye damage H302 - Harmful if swallowed H411 - Toxic to aquatic life with long lasting effects

Hazard statements

H319 - Causes serious eye irritation

Revision Date 15-Jul-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 15-Jul-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name 2PG Probe (in DMSO)

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

| | |
|-------|----------------|
| Ozone | Not applicable |
|-------|----------------|

GHS Label elements, including precautionary statements

Not dangerous

Other information

Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Chemical Name | CAS-No | Weight % | Classification (Reg. 1272/2008) |
|---------------|-------------|----------|---------------------------------|
| DMSO | 67-68-5 | 60-99 | |
| OxiRed probe | 119171-73-2 | 3-7 | Acute Tox. 4 (H302) |

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

| | |
|---------------------------|--|
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Inhalation | Move to fresh air. |
| Ingestion | Clean mouth with water. Drink plenty of water. |
| Notes to physician | Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

| | |
|--|--|
| Flammable properties | Not flammable. |
| Flash point | not determined |
| Suitable extinguishing media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | none. |
| Sensitivity to Static Discharge | none. |
| Protective equipment and precautions for firefighters | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|--|
| Personal precautions | Ensure adequate ventilation. |
| Environmental precautions | Try to prevent the material from entering drains or water courses. |
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. |

7. HANDLING AND STORAGE

| | |
|--|--|
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. |
| Technical measures/Storage conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| | |
|--------------------------------------|---|
| Exposure Guidelines | This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. |
| Engineering measures | Showers Eyewash stations Ventilation systems |
| Personal protective equipment | |
| Eye/face protection | No special protective equipment required. |
| Skin and body protection | No special protective equipment required. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| Hygiene measures | Handle in accordance with good industrial hygiene and safety practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|----------------------------------|---------------------------|------------------------------------|---------------------------|
| Appearance | No information available. | Odor | No information available. |
| Odor Threshold | No information available | Physical State @20°C | No information available |
| pH | No information available | Autoignition temperature | No information available |
| Flash point | No information available | Boiling point/boiling range | No information available |
| Decomposition temperature | No information available | Flammability Limits in Air | No information available |
| Melting point/range | No information available | solubility | No information available. |
| Explosion limits | No information available | Vapor density | no data available |
| Specific Gravity | no data available | | |
| Evaporation rate | No information available | | |
| VOC Content(%) | 95 | | |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Stability | Stable under recommended storage conditions. |
| Incompatible products | None known based on information supplied. |
| Conditions to avoid | None known based on information supplied. |
| Hazardous decomposition products | None known based on information supplied. |
| Hazardous polymerization | Hazardous polymerization does not occur. |

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------|---------------------|-----------------|-----------------|
| DMSO | 14500 mg/kg (Rat) | 40 g/kg (Rat) | |

Chronic toxicity

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to microorganisms | Toxicity to daphnia and other aquatic invertebrates |
|----------------------|--|---|----------------------------|---|
| DMSO | 12350 - 25500: 96 h Skeletonema costatum mg/L EC50 | 34: 96 h Pimephales promelas mg/L LC50 33-37: 96 h Oncorhynchus mykiss g/L LC50 static 40: 96 h Lepomis macrochirus g/L LC50 static 41.7: 96 h Cyprinus carpio g/L LC50 | | 7000: 24 h Daphnia species mg/L EC50 |
| Chemical Name | | | log Pow | |
| DMSO | | | -2.03 | |

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|--|----|
| Acute Health Hazard | no |
| Chronic Health Hazard | no |
| Fire Hazard | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard | no |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---------------|---------------|------------|--------------|----------|--------------|
| DMSO | | X | | | |

International Regulations

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

Revision Date 15-Jul-2016
Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 15-Jul-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name 2PG Converter

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

| | |
|-----------------------------------|----------------|
| Skin corrosion/irritation | Category 1 |
| Serious eye damage/eye irritation | Category 1 |
| Ozone | Not applicable |

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P310 - Immediately call a POISON CENTER or doctor/ physician

P280 - Wear protective gloves/ eye protection/ face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Chemical Name | CAS-No | Weight % | Classification (Reg. 1272/2008) |
|------------------|-----------|----------|---------------------------------|
| Sodium hydroxide | 1310-73-2 | 7-13 | Skin Corr. 1A (H314) |

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

| | |
|-----------------------------------|---|
| General advice | Immediate medical attention is required. |
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required. |
| Inhalation | Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required. |
| Ingestion | Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required. |
| Notes to physician | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically. |
| Protection of first-aiders | Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Flammable properties | Not flammable. |
| Flash point | not determined |
| Suitable extinguishing media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | none. |
| Sensitivity to Static Discharge | none. |
| Specific hazards arising from the chemical | The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes |
| Protective equipment and precautions for firefighters | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|---|
| Personal precautions | Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak. |
| Environmental precautions | Try to prevent the material from entering drains or water courses. |
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water. |
| Other information | Refer to protective measures listed in sections 7 and 8. |

7. HANDLING AND STORAGE

| | |
|--|--|
| Advice on safe handling | Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. |
| Technical measures/Storage conditions | Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------|------------------------------|--|--|
| Sodium hydroxide 1310-73-2 | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³ | IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³ |

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.
Skin and body protection No special protective equipment required.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|----------------------------------|---------------------------|------------------------------------|---------------------------|
| Appearance | No information available. | Odor | No information available. |
| Odor Threshold | No information available | Physical State @20°C | No information available |
| pH | No information available | Autoignition temperature | No information available |
| Flash point | No information available | Boiling point/boiling range | No information available |
| Decomposition temperature | No information available | Flammability Limits in Air | No information available |
| Melting point/range | No information available | solubility | No information available. |
| Explosion limits | No information available | Vapor density | no data available |
| Specific Gravity | no data available | | |
| Evaporation rate | No information available | | |
| VOC Content(%) | not applicable | | |

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Corrosive to skin, eyes and/or respiratory tract.

Inhalation Corrosive by inhalation Causes burns

Eye contact Causes burns Corrosive to eyes

Skin contact Corrosive Causes burns

Ingestion Causes burns

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------|-----------|-----------------------|-----------------|
| Sodium hydroxide | | 1350 mg/kg (Rabbit) | |

Chronic toxicity

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen Avoid repeated exposure Possible risks of irreversible effects

Target Organ Effects Eyes. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to microorganisms | Toxicity to daphnia and other aquatic invertebrates |
|------------------|-------------------|---|----------------------------|---|
| Sodium hydroxide | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | | |

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|------------------|-----------------------------------|
| Sodium hydroxide | Toxic Corrosive |

14. TRANSPORT INFORMATION

| | |
|-------------|---------------------|
| DOT | Not dangerous goods |
| IATA | Not dangerous goods |
| ADR | Not dangerous goods |

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|--|-----|
| Acute Health Hazard | yes |
| Chronic Health Hazard | yes |
| Fire Hazard | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard | no |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Sodium hydroxide | 1000 lb | | | X |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|------------------|--------------------------|------------------------------------|--|
| Sodium hydroxide | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|------------------|---------------|------------|--------------|----------|--------------|
| Sodium hydroxide | X | X | X | | X |

International Regulations

| Chemical Name | Carcinogen Status | Exposure limits |
|------------------|-------------------|-------------------------------------|
| Sodium hydroxide | | Mexico: Ceiling 2 mg/m ³ |

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H314 - Causes severe skin burns and eye damage

Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Revision Date 15-Jul-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS