

Kit Summary

Product Code(s) AB183297
Product name TripleStain IHC Kit: M&R&Rt on rodent tissue (DAB, HRP/Green & AP/Red)

Mouse HRP Polymer

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Sodium azide	247-852-1	26628-22-8	0.09	T+; R27/28 R32 N; R50/53	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available
Proclin	-	55965-84-9	0.05	T; R23/24/25 C; R34 R43 N; R50-53	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	no data available

DAB Substrate

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Citric acid	201-069-1	77-92-9	2	Xn; R36	Eye Irrit. 2 (H319)	
Hydrogen peroxide	231-765-0	7722-84-1	2	Xn; R20/22 C; R35 Xi; R41 R5 O; R8	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Eye Dam. 1 (H318)	

DAB Chromogen (20x)

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
DMSO	200-664-3	67-68-5	25	-		no data available
Hydrochloric acid	231-595-7	7647-01-0	2	C; R34 Xi; R37	STOT SE 3 (H335) Skin Corr. 1B (H314)	no data available

DAB	202-110-6	91-95-2	2	Carc.Cat.2; R45 Muta.Cat.3; R68	Muta. 2 (H341) Carc. 1B (H350)	no data available
-----	-----------	---------	---	------------------------------------	-----------------------------------	-------------------

Permanent Red Chromogen (100x)

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Hydrochloric acid	231-595-7	7647-01-0	2.5	C; R34 Xi; R37	STOT SE 3 (H335) Skin Corr. 1B (H314)	

Non-aqueous Mounting Medium

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Toluene	203-625-9	108-88-3	60	F; R11 Xi; R38 Xn; R48/20-65 Repr.Cat.3; R63 R67	STOT SE 3 (H336) STOT RE 2 (H373) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Repr. 2 (H361d) Flam Liq. 1 (H224)	
Beta Pinene	-	18172-67-3	10	F;R10 Xn;R20/21/22 Xi;R36/37/38 R43 R65 N;R51	STOT SE 3 (H335) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332)	

Rat AP Polymer

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Sodium azide	247-852-1	26628-22-8	0.09	T+; R27/28 R32 N; R50/53	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	
Proclin	-	55965-84-9	0.05	T; R23/24/25 C; R34 R43 N; R50-53	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	

GHS / CLP - GHS - Classification



Signal Word

Danger

Hazard statements

H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H361 - Suspected of damaging fertility or the unborn child

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H304 - May be fatal if swallowed and enters airways

H341 - Suspected of causing genetic defects

H350 - May cause cancer

Precautionary Statements - EU (§28, 1272/2008)

P312 - Call a POISON CENTER or doctor/ physician if you feel unwell

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P501 - Dispose of contents/ container to an approved waste disposal plant

P280 - Wear protective gloves/ eye protection/ face protection

P362 - Take off contaminated clothing and wash before reuse

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P271 - Use only outdoors or in a well-ventilated area

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical advice/ attention if you feel unwell

P331 - Do NOT induce vomiting

2.3 Other information

Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body

A safety datasheet follows for all potentially hazardous components – all other components are non-hazardous.

TRANSPORT INFORMATION

DOT

Proper shipping name

Excepted Quantity

Hazard class

Flammable liquid, n.o.s. (Toluene, Terpene hydrocarbons, n.o.s.)

UN/ID No

3

Packing group

1993

II

IATA

UN/ID No

Excepted Quantity

Proper shipping name

1993

Flammable liquid, n.o.s. (Toluene, Terpene hydrocarbons, n.o.s.)

Hazard class 3
Packing group II

ADR Excepted Quantity
Proper shipping name Flammable liquid, n.o.s. (Toluene, Terpene hydrocarbons, n.o.s.)
Hazard class 3
UN/ID No 1993
Packing group II

Safety Data Sheet

Issuing date no data available

Revision Date 29-Jul-2016

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Mouse HRP Polymer

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 2 Category 1
Skin sensitization	Category 1
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word

Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/ physician

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P280 - Wear protective gloves/ eye protection/ face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

P405 - Store locked up

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Sodium azide	26628-22-8	<0.1	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)
Proclin	55965-84-9	<0.1	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required. If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required. If symptoms persist, call a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required. If symptoms persist, call a physician. May cause an allergic skin reaction.
Inhalation	Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required. If symptoms persist, call a physician.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required. If symptoms persist, call a physician.
Notes to physician	May cause sensitization of susceptible persons. Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes May cause sensitization by inhalation and skin contact
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Use personal protective equipment. Avoid contact with the skin and the eyes.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains.

7. HANDLING AND STORAGE

Advice on safe handling	Ensure adequate ventilation. Wear personal protective equipment.
--------------------------------	--

Technical measures/Storage conditions Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium azide 26628-22-8	Ceiling: 0.29 mg/m ³ NaN ₃ Ceiling: 0.11 ppm Hydrazoic acid vapor	(vacated) S* (vacated) Ceiling: 0.1 ppm HN ₃ (vacated) Ceiling: 0.3 mg/m ³ NaN ₃	Ceiling: 0.1 ppm HN ₃ Ceiling: 0.3 mg/m ³ NaN ₃

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles.
Skin and body protection No special protective equipment required.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	not applicable		

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products None known based on information supplied.

Conditions to avoid None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Corrosive to skin, eyes and/or respiratory tract. Irritating to skin, eyes and / or respiratory tract. May cause sensitization of susceptible persons.

Inhalation Corrosive by inhalation Causes burns May cause irritation of respiratory tract

Eye contact Causes burns Corrosive to eyes May cause irritation

Skin contact Corrosive Causes burns May cause irritation

Ingestion Causes burns Ingestion may cause irritation to mucous membranes

Chronic toxicity

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons Avoid repeated exposure

Sensitization As a precaution the product should be treated as a sensitizer.

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium azide		0.8: 96 h Oncorhynchus mykiss mg/L LC50 0.7: 96 h Lepomis macrochirus mg/L LC50 5.46: 96 h Pimephales promelas mg/L LC50 flow-through		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

US EPA Waste Number P105

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sodium azide - 26628-22-8		P105		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium azide	Ignitable Reactive

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium azide	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium azide	X	X	X		X

International Regulations

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H300 - Fatal if swallowed H310 - Fatal in contact with skin H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H301 - Toxic if swallowed H311 - Toxic in contact with skin H331 - Toxic if inhaled

Hazard statements

H314 - Causes severe skin burns and eye damage
 H319 - Causes serious eye irritation
 H317 - May cause an allergic skin reaction

Revision Date 29-Jul-2016
Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 29-Jul-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name DAB Substrate
Recommended use For research use only
Supplier Address Abcam Inc
 1 Kendall Square, Ste 341
 Cambridge, MA 02139-1517
 USA
 Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
 Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)
E-mail address technical@abcam.com
Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Ozone	Not applicable
-------	----------------

GHS Label elements, including precautionary statements

Not dangerous

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Hydrogen peroxide	7722-84-1	1-5	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Eye Dam. 1 (H318)
Citric acid	77-92-9	1-5	Eye Irrit. 2 (H319)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection No special protective equipment required.
Skin and body protection No special protective equipment required.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	not applicable		

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products None known based on information supplied.

Conditions to avoid None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Citric acid	3000 mg/kg (Rat)		
Hydrogen peroxide	801 mg/kg (Rat)	4060 mg/kg (Rat) 2000 mg/kg (Rabbit)	2 mg/L (Rat) 4 h

Chronic toxicity

Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen peroxide	A3	Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Target Organ Effects Eyes. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Citric acid		1516: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static		120: 72 h <i>Daphnia magna</i> mg/L EC50
Hydrogen peroxide	2.5: 72 h <i>Chlorella vulgaris</i> mg/L EC50	16.4: 96 h <i>Pimephales promelas</i> mg/L LC50 18-56: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 10.0-32.0: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static		7.7: 24 h <i>Daphnia magna</i> mg/L EC50 18 - 32: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Chemical Name		log Pow		
Citric acid		-1.72		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Hydrogen peroxide	Toxic Corrosive Ignitable Reactive

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrogen peroxide		1000 lb	

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hydrogen peroxide	X	X	X		X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Hydrogen peroxide	A3	Mexico: TWA 1 ppm Mexico: TWA 1.5 mg/m ³ Mexico: STEL 2 ppm Mexico: STEL 3 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 + H332 - Harmful if swallowed or if inhaled

H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage H319 - Causes serious eye irritation

Revision Date 29-Jul-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 29-Jul-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name DAB Chromogen (20x)

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1B
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word

Danger

Hazard statements

H341 - Suspected of causing genetic defects

H350 - May cause cancer

Precautionary Statements - EU (§28, 1272/2008)

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
DMSO	67-68-5	10-30	
Hydrochloric acid	7647-01-0	1-5	STOT SE 3 (H335) Skin Corr. 1B (H314)
DAB	91-95-2	1-5	Muta. 2 (H341) Carc. 1B (H350)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Use personal protective equipment. Keep people away from and upwind of spill/leak.

Environmental precautions Try to prevent the material from entering drains or water courses.

Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product.

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m ³ Ceiling: 5 ppm Ceiling: 7 mg/m ³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

- Eye/face protection** Tightly fitting safety goggles.
- Skin and body protection** No special protective equipment required.
- Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available		
Explosion limits	No information available		
Specific Gravity	no data available	solubility	No information available.
Evaporation rate	No information available	Vapor density	no data available
VOC Content(%)	25		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
DMSO	14500 mg/kg (Rat)	40 g/kg (Rat)	
Hydrochloric acid	700 mg/kg (Rat)	5010 mg/kg (Rabbit)	3124 ppm (Rat) 1 h

Chronic toxicity

Carcinogenicity

This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrochloric acid		Group 3		

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Mutagenic effects Possible risks of irreversible effects.

Target Organ Effects Eyes. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
DMSO	12350 - 25500: 96 h Skeletonema costatum mg/L EC50	34: 96 h Pimephales promelas mg/L LC50 33-37: 96 h Oncorhynchus mykiss g/L LC50 static 40: 96 h Lepomis macrochirus g/L LC50 static 41.7: 96 h Cyprinus carpio g/L LC50		7000: 24 h Daphnia species mg/L EC50
Hydrochloric acid		282: 96 h Gambusia affinis mg/L LC50 static		
Chemical Name		log Pow		
DMSO		-2.03		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT

Not dangerous goods

IATA

Not dangerous goods

ADR

Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Hydrochloric acid	7647-01-0	2	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid	5000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrochloric acid	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
DMSO		X			
Hydrochloric acid	X	X	X	X	X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Hydrochloric acid		Mexico: Ceiling 5 ppm Mexico: Ceiling 7 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage
 H335 - May cause respiratory irritation
 H341 - Suspected of causing genetic defects if inhaled
 H350 - May cause cancer if swallowed

Hazard statements

H341 - Suspected of causing genetic defects
 H350 - May cause cancer

Revision Date

29-Jul-2016

Revision Note

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 29-Jul-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Permanent Red Chromogen (100x)

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Ozone	Not applicable
-------	----------------

GHS Label elements, including precautionary statements

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Hydrochloric acid	7647-01-0	1-5	STOT SE 3 (H335) Skin Corr. 1B (H314)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m ³ Ceiling: 5 ppm Ceiling: 7 mg/m ³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures
Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection

No special protective equipment required.

Skin and body protection

No special protective equipment required.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available		
Explosion limits	No information available		
Specific Gravity	no data available	solubility	No information available.
Evaporation rate	No information available	Vapor density	no data available
VOC Content(%)	not applicable		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	700 mg/kg (Rat)	5010 mg/kg (Rabbit)	3124 ppm (Rat) 1 h

Chronic toxicity

Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrochloric acid		Group 3		

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Target Organ Effects Eyes. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Hydrochloric acid		282: 96 h Gambusia affinis mg/L LC50 static		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Hydrochloric acid	7647-01-0	2.5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid	5000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrochloric acid	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hydrochloric acid	X	X	X	X	X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Hydrochloric acid		Mexico: Ceiling 5 ppm Mexico: Ceiling 7 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation

Revision Date 29-Jul-2016
Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 29-Jul-2016

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Non-aqueous Mounting Medium
UN/ID No	1993
Recommended use	For research use only
Supplier Address	Abcam Inc 1 Kendall Square, Ste 341 Cambridge, MA 02139-1517 USA Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)
E-mail address	technical@abcam.com
Emergency telephone	Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Aspiration toxicity	Category 1
Acute oral toxicity	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Specific target organ systemic toxicity (single exposure)	Category 3
Specific target organ systemic toxicity (repeated exposure)	Category 2
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements

H302 - Harmful if swallowed
 H315 - Causes skin irritation
 H319 - Causes serious eye irritation
 H317 - May cause an allergic skin reaction
 H361 - Suspected of damaging fertility or the unborn child
 H335 - May cause respiratory irritation
 H373 - May cause damage to organs through prolonged or repeated exposure
 H304 - May be fatal if swallowed and enters airways

Precautionary Statements - EU (§28, 1272/2008)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
 P312 - Call a POISON CENTER or doctor/ physician if you feel unwell
 P331 - Do NOT induce vomiting
 P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention
 P314 - Get medical advice/ attention if you feel unwell
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P270 - Do not eat, drink or smoke when using this product
 P501 - Dispose of contents/ container to an approved waste disposal plant
 P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray
 P272 - Contaminated work clothing should not be allowed out of the workplace
 P280 - Wear protective gloves/ eye protection/ face protection
 P362 - Take off contaminated clothing and wash before reuse
 P271 - Use only outdoors or in a well-ventilated area
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
 P405 - Store locked up
 P201 - Obtain special instructions before use
 P202 - Do not handle until all safety precautions have been read and understood
 P281 - Use personal protective equipment as required
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Toluene	108-88-3	40-70	STOT SE 3 (H336) STOT RE 2 (H373) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Repr. 2 (H361d) Flam Liq. 1 (H224)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. May cause an allergic skin reaction.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Rinse mouth. If symptoms persist, call a physician.
Notes to physician	Treat symptomatically. May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes May cause sensitization by inhalation and skin contact
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up.

7. HANDLING AND STORAGE

Advice on safe handling	Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation.
--------------------------------	---

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Toluene 108-88-3	TWA: 20 ppm	TWA: 200 ppm (vacated) TWA: 100 ppm (vacated) TWA: 375 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 560 mg/m ³ Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.
Skin and body protection No special protective equipment required.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	60		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Harmful if swallowed Irritating to skin, eyes and / or respiratory tract. May cause sensitization of susceptible persons.
Inhalation	May cause irritation of respiratory tract
Eye contact	May cause irritation
Skin contact	May cause irritation
Ingestion	Harmful if swallowed Ingestion may cause irritation to mucous membranes

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Toluene	636 mg/kg (Rat)	8390 mg/kg (Rabbit) 12124 mg/kg (Rat)	12.5 mg/L (Rat) 4 h 26700 ppm (Rat) 1 h

Chronic toxicity

Chronic toxicity	Avoid repeated exposure May cause adverse liver effects Repeated contact may cause allergic reactions in very susceptible persons
-------------------------	---

Carcinogenicity	This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)
------------------------	---

Chemical Name	ACGIH	IARC	NTP	OSHA
Toluene		Group 3		

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Sensitization	As a precaution the product should be treated as a sensitizer.
Reproductive toxicity	Product is or contains a chemical which is a known or suspected reproductive hazard
Developmental Toxicity	Contains ingredients that have suspected developmental hazards Possible risk of harm to the unborn child May cause birth defects
Target Organ Effects	Central nervous system (CNS). Eyes. Kidney. Liver. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Toluene	433: 96 h Pseudokirchneriella subcapitata mg/L EC50 12.5: 72 h Pseudokirchneriella subcapitata mg/L EC50 static	15.22-19.05: 96 h Pimephales promelas mg/L LC50 flow-through 12.6: 96 h Pimephales promelas mg/L LC50 static 5.89-7.81: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 14.1-17.16: 96 h Oncorhynchus mykiss mg/L LC50 static 5.8: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 11.0-15.0: 96 h Lepomis macrochirus mg/L LC50 static 54: 96 h Oryzias latipes mg/L LC50 static 28.2: 96 h Poecilia reticulata mg/L LC50 semi-static 50.87-70.34: 96 h Poecilia reticulata mg/L LC50 static		5.46 - 9.83: 48 h Daphnia magna mg/L EC50 Static 11.5: 48 h Daphnia magna mg/L EC50
Chemical Name		log Pow		
Toluene		2.65		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

US EPA Waste Number U220

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Toluene - 108-88-3	U220	Included in waste streams: F005, F024, F025, F039, K015, K036, K037, K149, K151		U220
Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Toluene - 108-88-3			Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Toluene	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT Excepted Quantity
Proper shipping name Flammable liquid, n.o.s. (Toluene, Terpene hydrocarbons, n.o.s.)
Hazard class 3
UN/ID No 1993
Packing group II

IATA Excepted Quantity
UN/ID No 1993
Proper shipping name Flammable liquid, n.o.s. (Toluene, Terpene hydrocarbons, n.o.s.)
Hazard class 3
Packing group II

ADR Excepted Quantity
Proper shipping name Flammable liquid, n.o.s. (Toluene, Terpene hydrocarbons, n.o.s.)
Hazard class 3
UN/ID No 1993
Packing group II

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Toluene	108-88-3	60	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene	1000 lb	X	X	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Toluene	1000 lb 1 lb		RQ 1000 lb final RQ RQ 454 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Toluene	108-88-3	Developmental Female Reproductive

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Toluene	X	X	X	X	X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Toluene		Mexico: TWA 50 ppm Mexico: TWA 188 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H336 - May cause drowsiness or dizziness H373 - May cause damage to organs through prolonged or repeated exposure H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation H361d - Suspected of damaging the unborn child H224 - Extremely flammable liquid and vapor H335 - May cause respiratory irritation H319 - Causes serious eye irritation H317 - May cause an allergic skin reaction H302 - Harmful if swallowed H312 - Harmful in contact with skin H332 - Harmful if inhaled

Hazard statements

H302 - Harmful if swallowed
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H317 - May cause an allergic skin reaction
H361 - Suspected of damaging fertility or the unborn child
H335 - May cause respiratory irritation
H373 - May cause damage to organs through prolonged or repeated exposure
H304 - May be fatal if swallowed and enters airways

Revision Date 29-Jul-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date no data available

Revision Date 29-Jul-2016

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Rat AP Polymer

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 2 Category 1
Skin sensitization	Category 1
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements

H314 - Causes severe skin burns and eye damage
H319 - Causes serious eye irritation
H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/ physician

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P280 - Wear protective gloves/ eye protection/ face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

P405 - Store locked up

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Sodium azide	26628-22-8	<0.1	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)
Proclin	55965-84-9	<0.1	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required. If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required. If symptoms persist, call a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required. If symptoms persist, call a physician. May cause an allergic skin reaction.
Inhalation	Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required. If symptoms persist, call a physician.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required. If symptoms persist, call a physician.
Notes to physician	May cause sensitization of susceptible persons. Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes May cause sensitization by inhalation and skin contact
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Use personal protective equipment. Avoid contact with the skin and the eyes.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains.

7. HANDLING AND STORAGE

Advice on safe handling	Ensure adequate ventilation. Wear personal protective equipment.
--------------------------------	--

Technical measures/Storage conditions Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium azide 26628-22-8	Ceiling: 0.29 mg/m ³ NaN ₃ Ceiling: 0.11 ppm Hydrazoic acid vapor	(vacated) S* (vacated) Ceiling: 0.1 ppm HN ₃ (vacated) Ceiling: 0.3 mg/m ³ NaN ₃	Ceiling: 0.1 ppm HN ₃ Ceiling: 0.3 mg/m ³ NaN ₃

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles.

Skin and body protection

No special protective equipment required.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	not applicable		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Corrosive to skin, eyes and/or respiratory tract. Irritating to skin, eyes and / or respiratory tract. May cause sensitization of susceptible persons.
Inhalation	Corrosive by inhalation Causes burns May cause irritation of respiratory tract
Eye contact	Causes burns Corrosive to eyes May cause irritation
Skin contact	Corrosive Causes burns May cause irritation
Ingestion	Causes burns Ingestion may cause irritation to mucous membranes

Chronic toxicity

Chronic toxicity	Repeated contact may cause allergic reactions in very susceptible persons Avoid repeated exposure
Sensitization	As a precaution the product should be treated as a sensitizer.
Target Organ Effects	None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium azide		0.8: 96 h Oncorhynchus mykiss mg/L LC50 0.7: 96 h Lepomis macrochirus mg/L LC50 5.46: 96 h Pimephales promelas mg/L LC50 flow-through		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

US EPA Waste Number P105

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sodium azide - 26628-22-8		P105		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium azide	Ignitable Reactive

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium azide	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium azide	X	X	X		X

International Regulations**WHMIS Note:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H300 - Fatal if swallowed H310 - Fatal in contact with skin H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H301 - Toxic if swallowed H311 - Toxic in contact with skin H331 - Toxic if inhaled

Hazard statements

H314 - Causes severe skin burns and eye damage

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

Revision Date 29-Jul-2016

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS