

## Kit Summary

**Product Code(s)** AB193970  
**Product name** Extraction Buffer 5X

### Extraction Buffer 5X

Chemical Name	EC-No	CAS-No	Weight %	Classification (67/548)	Classification (Reg. 1272/2008)	REACH Registration Number
Triton-X-100	-	9002-93-1	1	Xn;R22 R41 N; R51/53	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Chronic 2 (H411)	no data available
Sodium pyrophosphate decahydrate	-	13472-36-1	0.56	Xi; R36/37/38	Eye Irrit. 2 (H319) STOT SE 3 (H335) Skin Irrit. 2 (H315)	no data available
Sodium fluoride	231-667-8	7681-49-4	0.21	T; R25  Xi; R36/38  R32	Acute Tox. 3 (H301) Eye Irrit. 2 (H319) Skin Irrit. 2 (H315) (EUH032)	no data available
Sodium orthovanadate	237-287-9	13721-39-6	0.18	Xn; R20/21/22	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332)	no data available
Proclin	-	55965-84-9	0.05	T; R20/21/22 C; R34 R43 N; R50-53	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	no data available

### GHS / CLP - GHS - Classification



**Signal Word**  
Warning

**Hazard statements**  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

### **Precautionary Statements - EU (§28, 1272/2008)**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/ eye protection/ face protection

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

P264 - Wash face, hands and any exposed skin thoroughly after handling

### **2.3 Other information**

No information available

### **TRANSPORT INFORMATION**

**DOT** Not dangerous goods

**IATA** Not dangerous goods

**ADR** Not dangerous goods

# Safety Data Sheet

Issuing date no data available

Revision Date 22-Jul-2015

Version 3

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** Extraction Buffer 5X

**Recommended use** For research use only

**Supplier Address** Abcam Inc  
1 Kendall Square, Ste 341  
Cambridge, MA 02139-1517  
USA  
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)  
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

**E-mail address** technical@abcam.com

**Emergency telephone** Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

## 2. HAZARDS IDENTIFICATION

### GHS - Classification

Skin sensitization	Category 1
Ozone	Not applicable

### GHS Label elements, including precautionary statements



### Signal Word

Warning

### Hazard statements

H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

**Precautionary Statements - EU (§28, 1272/2008)**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/ eye protection/ face protection

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

P264 - Wash face, hands and any exposed skin thoroughly after handling

**Other information**

No information available

**3. COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Triton-X-100	9002-93-1	1-5	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Chronic 2 (H411)
Sodium pyrophosphate decahydrate	13472-36-1	0.1-1	Eye Irrit. 2 (H319) STOT SE 3 (H335) Skin Irrit. 2 (H315)
Sodium fluoride	7681-49-4	0.1-1	Acute Tox. 3 (H301) Eye Irrit. 2 (H319) Skin Irrit. 2 (H315) (EUH032)
Sodium orthovanadate	13721-39-6	0.1-1	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332)
Proclin	55965-84-9	<0.1	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

**For the full text of the H-Statements mentioned in this Section, see Section 16**

#### 4. FIRST AID MEASURES

<b>General advice</b>	If symptoms persist, call a physician.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. If symptoms persist, call a physician.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Clean mouth with water. Drink plenty of water.
<b>Notes to physician</b>	Treat symptomatically. May cause sensitization of susceptible persons.

#### 5. FIRE-FIGHTING MEASURES

<b>Flammable properties</b>	Not flammable.
<b>Flash point</b>	not determined
<b>Suitable extinguishing media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	none.
<b>Sensitivity to Static Discharge</b>	none.
<b>Specific hazards arising from the chemical</b>	Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes May cause sensitization by inhalation and skin contact
<b>Protective equipment and precautions for firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Use personal protective equipment. Avoid contact with the skin and the eyes. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
<b>Environmental precautions</b>	Try to prevent the material from entering drains or water courses.
<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains. Dam up.

#### 7. HANDLING AND STORAGE

<b>Advice on safe handling</b>	Ensure adequate ventilation. Wear personal protective equipment. Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors or spray mist.
<b>Technical measures/Storage conditions</b>	Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium fluoride 7681-49-4	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F (vacated) TWA: 2.5 mg/m <sup>3</sup>	IDLH: 250 mg/m <sup>3</sup> F TWA: 2.5 mg/m <sup>3</sup> F
Sodium orthovanadate 13721-39-6			Ceiling: 0.05 mg/m <sup>3</sup> V dust and fume 15 min

NIOSH IDLH: *Immediately Dangerous to Life or Health*

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Engineering measures** Showers  
Eyewash stations  
Ventilation systems

**Personal protective equipment**

**Eye/face protection** Tightly fitting safety goggles. Face-shield.  
**Skin and body protection** No special protective equipment required.  
**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	No information available.	<b>Odor</b>	No information available.
<b>Odor Threshold</b>	No information available	<b>Physical State @20°C</b>	No information available
<b>pH</b>	No information available	<b>Autoignition temperature</b>	No information available
<b>Flash point</b>	No information available	<b>Boiling point/boiling range</b>	No information available
<b>Decomposition temperature</b>	No information available	<b>Flammability Limits in Air</b>	No information available
<b>Melting point/range</b>	No information available		
<b>Explosion limits</b>	No information available		
<b>Specific Gravity</b>	no data available	<b>solubility</b>	No information available.
<b>Evaporation rate</b>	No information available	<b>Vapor density</b>	no data available
<b>VOC Content(%)</b>	not applicable		

**10. STABILITY AND REACTIVITY**

**Stability** Stable under recommended storage conditions.

**Incompatible products** None known based on information supplied.

**Conditions to avoid** None known based on information supplied.

**Hazardous decomposition products** None known based on information supplied.

**Hazardous polymerization** Hazardous polymerization does not occur.

**11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product Information** Irritating to skin, eyes and / or respiratory tract. May cause sensitization of susceptible persons.

**Inhalation** May cause irritation of respiratory tract

**Eye contact** May cause irritation

**Ingestion** Ingestion may cause irritation to mucous membranes

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Triton-X-100	1800 mg/kg ( Rat )		
Sodium fluoride	52 mg/kg ( Rat )	175 mg/kg ( Rat )	
Sodium orthovanadate	330 mg/kg ( Rat )		
Proclin	53 mg/kg ( Rat )		

**Chronic toxicity**

**Chronic toxicity** Repeated contact may cause allergic reactions in very susceptible persons Avoid repeated exposure

**Carcinogenicity** This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium fluoride		Group 3		

**IARC: (International Agency for Research on Cancer)**  
Group 3 - Not Classifiable as to Carcinogenicity in Humans

**Sensitization** As a precaution the product should be treated as a sensitizer.

**Target Organ Effects** None known.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium fluoride	272: 96 h Pseudokirchneriella subcapitata mg/L EC50 850: 72 h Desmodesmus subspicatus mg/L EC50 static	530: 96 h Lepomis macrochirus mg/L LC50 830: 96 h Lepomis macrochirus mg/L LC50 semi-static 38-68: 96 h Oncorhynchus mykiss mg/L LC50 static 180: 96 h Pimephales promelas mg/L LC50 semi-static		338: 48 h Daphnia magna mg/L EC50 98: 48 h Daphnia magna mg/L EC50 Static

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated packaging** Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium fluoride	Toxic

**14. TRANSPORT INFORMATION**

**DOT** Not dangerous goods

**IATA** Not dangerous goods

**ADR** Not dangerous goods

**15. REGULATORY INFORMATION**

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	yes
<b>Chronic Health Hazard</b>	no
<b>Fire Hazard</b>	no
<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	no

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium fluoride	1000 lb			X

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium fluoride	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**U.S. State Regulations**



**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium fluoride	X	X	X		X

**International Regulations****WHMIS Note:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**16. OTHER INFORMATION****Full text of H-Statements referred to under sections 2 and 3**

H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life  
 H410 - Very toxic to aquatic life with long lasting effects H315 - Causes skin irritation H319 - Causes serious eye irritation H301 - Toxic if swallowed H318 - Causes serious eye damage H302 - Harmful if swallowed H411 - Toxic to aquatic life with long lasting effects

**Hazard statements**

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

**Revision Date** 22-Jul-2015

**Revision Note** No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS**