

Kit Summary

Product Code(s) AB236473
Product name Reticulum Stain Kit (Modified Gomori's)

Gold Chloride Solution (0.2%)

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Gold chloride	236-623-1	13453-07-1	0.2	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	-

Nuclear Fast Red Solution

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Aluminium sulfate	-	7784-31-8	5	Eye Dam. 1 (H318)	-
Nuclear fast red	229-088-0	6409-77-4	0.2	Eye Irrit. 2 (H319) STOT SE 3 (H335) Skin Irrit. 2 (H315)	-
Sodium azide	247-852-1	26628-22-8	0.1	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	-

Ferric Ammonium Sulfate Solution (3%)

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Ferric Ammonium Sulfate	-	7783-83-7	3	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	No data available

Potassium Metabisulfite Solution (3%)

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Potassium Disulfite	-	16731-55-8	3	Eye Dam. 1 (H318) (EUH031)	-

Formalin Solution (20%)

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Formaldehyde	200-001-8	50-00-0	18	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331)	-

Methanol	200-659-6	67-56-1	3	STOT SE 1 (H370) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Flam Liq. 2 (H225)	-
----------	-----------	---------	---	---	---

Silver Nitrate Solution (10%)

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Silver Nitrate	231-853-9	7761-88-8	10	Skin Corr. 1B (H314) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Met. Corr. 1 H290	-

Potassium Permanganate Solution

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Potassium permanganate	231-760-3	7722-64-7	0.5	Repr. 2 (H361d) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Ox. Sol. 2 (H272)	-

Potassium Hydroxide Solution (10%)

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Potassium hydroxide	215-181-3	1310-58-3	10	Skin Corr. 1A (H314) Acute Tox. 4 (H302)	No data available

Sulfuric Acid Solution (1N)

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Sulphuric acid	231-639-5	7664-93-9	3	Skin Corr. 1A (H314)	-

GHS / CLP - GHS - Classification



Signal Word
Danger

Hazard statements

H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ eye protection/ face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P363 - Wash contaminated clothing before reuse

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P308 - IF exposed or concerned

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P310 - Immediately call a POISON CENTER or doctor/ physician

P273 - Avoid release to the environment

P391 - Collect spillage

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3 Other information

A safety datasheet follows for all potentially hazardous components – all other components are non-hazardous.

TRANSPORT INFORMATION

<u>DOT</u>	Limited Quantity
Proper shipping name	Chemical kit
Hazard class	9
UN/ID No	UN3316
Packing group	II

<u>IATA</u>	Limited Quantity
UN/ID No	UN3316
Proper shipping name	Chemical kit
Hazard class	9
Packing group	II

<u>ADR</u>	Limited Quantity
Proper shipping name	Chemical kit
Hazard class	9
UN/ID No	UN3316
Packing group	II

Safety Data Sheet

Issuing date No data available

Revision Date 13-Feb-2020

Version 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Gold Chloride Solution (0.2%)

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone +1 866 928 0789 (Toll free) /+1 202 464 2554

2. HAZARDS IDENTIFICATION

GHS - Classification

Ozone	Not applicable
-------	----------------

GHS Label elements, including precautionary statements

Not dangerous

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ protective clothing

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Gold chloride	13453-07-1	0.1-1	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
Engineering measures	Showers Eyewash stations Ventilation systems
Personal protective equipment	
Eye/face protection	Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin and body protection	Long sleeved clothing. Protective gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	Liquid
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor Pressure @20°C (kPa)	No information available
Specific Gravity	No data available	VOC Content(%)	Not applicable
Evaporation rate	No information available		
Vapor density	No data available		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Chronic toxicity

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations**International Regulations****WHMIS Note:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H335 - May cause respiratory irritation H315 - Causes skin irritation H319 - Causes serious eye irritation

Revision Date

13-Feb-2020

Revision Note

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date No data available

Revision Date 13-Feb-2020

Version 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Nuclear Fast Red Solution (Enhanced)

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone +1 866 928 0789 (Toll free) /+1 202 464 2554

2. HAZARDS IDENTIFICATION

GHS - Classification

Serious eye damage/eye irritation	Category 1
-----------------------------------	------------

GHS Label elements, including precautionary statements



Signal Word

Danger

Hazard statements

H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Aluminium sulfate	7784-31-8	3-7	Eye Dam. 1 (H318)
Nuclear fast red	6409-77-4	0.1-1	Eye Irrit. 2 (H319) STOT SE 3 (H335) Skin Irrit. 2 (H315)
Sodium azide	26628-22-8	0.1-1	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required.
Notes to physician	Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.
- Environmental precautions** Try to prevent the material from entering drains or water courses.
- Methods for containment** Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.
- Methods for cleaning up** Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up.

7. HANDLING AND STORAGE

- Advice on safe handling** Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation.
- Technical measures/Storage conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium azide 26628-22-8	Ceiling: 0.29 mg/m ³ NaN ₃ Ceiling: 0.11 ppm Hydrazoic acid vapor	(vacated) S* (vacated) Ceiling: 0.1 ppm HN ₃ (vacated) Ceiling: 0.3 mg/m ³ NaN ₃	Ceiling: 0.1 ppm HN ₃ Ceiling: 0.3 mg/m ³ NaN ₃

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

- Eye/face protection** Tightly fitting safety goggles. Face-shield.
- Skin and body protection** Long sleeved clothing. Protective gloves.
- Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	Liquid
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available		
Explosion limits	No information available		
Specific Gravity	No data available	solubility	No information available.
Evaporation rate	No information available	Vapor Pressure @20°C (kPa)	No information available
Vapor density	No data available	VOC Content(%)	Not applicable

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Toxic in contact with skin Corrosive to skin, eyes and/or respiratory tract.
Inhalation	Corrosive by inhalation Causes burns
Eye contact	Avoid contact with eyes Causes burns Corrosive to eyes
Skin contact	Corrosive Causes burns
Ingestion	Causes burns

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium azide	27 mg/kg (Rat)	50 mg/kg (Rat) 20 mg/kg (Rabbit)	

Chronic toxicity

Chronic toxicity	Avoid repeated exposure
Target Organ Effects	Central nervous system (CNS). Central Vascular System (CVS). Eyes. Kidney. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium azide		0.8: 96 h Oncorhynchus mykiss mg/L LC50 0.7: 96 h Lepomis macrochirus mg/L LC50 5.46: 96 h Pimephales promelas mg/L LC50 flow-through		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

US EPA Waste Number P105

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sodium azide - 26628-22-8		P105		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium azide	Ignitable Reactive

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium azide	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium azide	X	X	X		X

International Regulations

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H300 + H310 - Fatal if swallowed or in contact with skin
 H318 - Causes serious eye damage
 H319 - Causes serious eye irritation
 H315 - Causes skin irritation
 H335 - May cause respiratory irritation
 H400 - Very toxic to aquatic life
 H410 - Very toxic to aquatic life with long lasting effects

Hazard statements

H318 - Causes serious eye damage

Revision Date 13-Feb-2020

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date No data available

Revision Date 13-Feb-2020

Version 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Ferric Ammonium Sulfate Solution (3%)
Recommended use For research use only

Supplier Address Abcam Inc
 1 Kendall Square, Ste 341
 Cambridge, MA 02139-1517
 USA
 Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
 Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone +1 866 928 0789 (Toll free) /+1 202 464 2554

2. HAZARDS IDENTIFICATION

GHS - Classification

Ozone	Not applicable
-------	----------------

GHS Label elements, including precautionary statements

Not dangerous

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ protective clothing

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Ferric Ammonium Sulfate	7783-83-7	1-5	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ferric Ammonium Sulfate 7783-83-7	TWA: 1 mg/m ³ Fe	(vacated) TWA: 1 mg/m ³ Fe	TWA: 1 mg/m ³ Fe

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Long sleeved clothing. Protective gloves.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	Liquid
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor Pressure @20°C (kPa)	No information available
Specific Gravity	No data available	VOC Content(%)	Not applicable
Evaporation rate	No information available		
Vapor density	No data available		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Chronic toxicity

Chronic toxicity May cause adverse liver effects

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ferric Ammonium Sulfate			X		X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Ferric Ammonium Sulfate		Mexico: TWA 1 mg/m ³ Mexico: STEL 2 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H315 - Causes skin irritation H319 - Causes serious eye irritation

Revision Date

13-Feb-2020

Revision Note

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date No data available

Revision Date 13-Feb-2020

Version 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Potassium Metabisulfite Solution (3%)

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone +1 866 928 0789 (Toll free) /+1 202 464 2554

2. HAZARDS IDENTIFICATION

GHS - Classification

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

GHS Label elements, including precautionary statements



Signal Word

Warning

Hazard statements

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/ eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Potassium Disulfite	16731-55-8	1-5	Eye Dam. 1 (H318) (EUH031)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Technical measures/Storage conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Long sleeved clothing. Protective gloves.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	Liquid
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor Pressure @20°C (kPa)	No information available
Specific Gravity	No data available	VOC Content(%)	Not applicable
Evaporation rate	No information available		
Vapor density	No data available		

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products None known based on information supplied.

Conditions to avoid None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Chronic toxicity

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations**International Regulations****WHMIS Note:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H318 - Causes serious eye damage

Hazard statements

H319 - Causes serious eye irritation

Revision Date

13-Feb-2020

Revision Note

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date No data available

Revision Date 13-Feb-2020

Version 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Formalin Solution (20%)

UN/ID No UN3334

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone +1 866 928 0789 (Toll free) /+1 202 464 2554

2. HAZARDS IDENTIFICATION

GHS - Classification

Acute oral toxicity	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1B
Specific target organ systemic toxicity (single exposure)	Category 2 Category 3

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements

H302 - Harmful if swallowed
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H315 - Causes skin irritation
H341 - Suspected of causing genetic defects
H350 - May cause cancer
H371 - May cause damage to organs
H335 - May cause respiratory irritation

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves/ eye protection/ face protection
P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P270 - Do not eat, drink or smoke when using this product
P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P281 - Use personal protective equipment as required
P363 - Wash contaminated clothing before reuse
P362 - Take off contaminated clothing and wash before reuse
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell
P330 - Rinse mouth
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention
P337 + P313 - If eye irritation persists: Get medical advice/ attention
P309 + P311 - IF exposed or if you feel unwell: Call a POISON CENTER or doctor/ physician
P308 + P313 - IF exposed or concerned: Get medical advice/ attention
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Formaldehyde	50-00-0	10-<20	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331)
Methanol	67-56-1	1-5	STOT SE 1 (H370) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Flam Liq. 2 (H225)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	When symptoms persist or in all cases of doubt seek medical advice. Immediate medical attention is required. If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. Immediate medical attention is required. May cause an allergic skin reaction.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Consult a physician. Do NOT induce vomiting. Immediate medical attention is required.
Notes to physician	Treat symptomatically. May cause sensitization of susceptible persons.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes May cause sensitization by inhalation and skin contact
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Sweep up and shovel into suitable containers for disposal. Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling	Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Wear personal protective equipment. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation.
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde 50-00-0	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.
Skin and body protection Long sleeved clothing. Protective gloves.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	Liquid
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor Pressure @20°C (kPa)	No information available
Specific Gravity	No data available	VOC Content(%)	100

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	None known based on information supplied.
Conditions to avoid	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Product is toxic by ingestion Toxic in contact with skin Corrosive to skin, eyes and/or respiratory tract. May cause sensitization of susceptible persons Toxic by inhalation, in contact with skin and/or if swallowed
Eye contact	Avoid contact with eyes Causes burns Corrosive to eyes
Skin contact	Toxic in contact with skin Wash thoroughly after handling Corrosive Causes burns
Ingestion	Toxic if swallowed Causes burns

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Formaldehyde	500 mg/kg (Rat)		0.578 mg/L (Rat) 4 h
Methanol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	83.2 mg/L (Rat) 4 h 64000 ppm (Rat) 4 h

Chronic toxicity

Chronic toxicity	Repeated contact may cause allergic reactions in very susceptible persons Avoid repeated exposure
carcinogenicity	This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Formaldehyde	A2	Group 1	Reasonably Anticipated	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Sensitization	As a precaution the product should be treated as a sensitizer.
Mutagenic effects	Possible risks of irreversible effects.
Target Organ Effects	Central nervous system (CNS). Eyes. Gastrointestinal tract (GI). Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Formaldehyde		22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static		2: 48 h Daphnia magna mg/L LC50 11.3 - 18: 48 h Daphnia magna mg/L EC50 Static
Methanol		28200: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through		
Chemical Name		log Pow		
Formaldehyde		0.35		
Methanol		-0.77		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Dispose of in accordance with local regulations.

Contaminated packaging Do not re-use empty containers.

US EPA Waste Number U122 U154

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde - 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157		U122
Methanol - 67-56-1		Included in waste stream: F039		U154

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Formaldehyde	Toxic Ignitable
Methanol	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT Limited Quantity

Proper shipping name Aviation regulated liquid, n.o.s. (Formaldehyde)
Hazard class 9
UN/ID No UN3334
Packing group III

IATA Limited Quantity
UN/ID No UN3334
Proper shipping name Aviation regulated liquid, n.o.s. (Formaldehyde)
Hazard class 9
Packing group III

ADR Limited Quantity
Proper shipping name Aviation regulated liquid, n.o.s. (Formaldehyde)
Hazard class 9
UN/ID No UN3334
Packing group III

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Methanol	67-56-1	80	1.0
Formaldehyde	50-00-0	20	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard no
Fire Hazard no
Sudden Release of Pressure Hazard no
Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde	100 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Methanol	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Formaldehyde	50-00-0	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Methanol	X	X	X	X	X
Formaldehyde	X	X	X	X	X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Formaldehyde	A2	Mexico: Ceiling 2 ppm Mexico: Ceiling 3 mg/m ³
Methanol		Mexico: TWA 200 ppm Mexico: TWA 260 mg/m ³ Mexico: STEL 250 ppm Mexico: STEL 310 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled H314 - Causes severe skin burns and eye damage
 H317 - May cause an allergic skin reaction H341 - Suspected of causing genetic defects H370 - Causes damage to organs H350 - May cause cancer H225 - Highly flammable liquid and vapor

Hazard statements

- H302 - Harmful if swallowed
- H317 - May cause an allergic skin reaction
- H319 - Causes serious eye irritation
- H315 - Causes skin irritation
- H341 - Suspected of causing genetic defects
- H350 - May cause cancer
- H371 - May cause damage to organs
- H335 - May cause respiratory irritation

Revision Date 13-Feb-2020
Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date No data available

Revision Date 13-Feb-2020

Version 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Silver Nitrate Solution (10%)

UN/ID No UN1760

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone +1 866 928 0789 (Toll free) /+1 202 464 2554

2. HAZARDS IDENTIFICATION

GHS - Classification

Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1
Substances/mixtures corrosive to metal	Category 1

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements

H290 - May be corrosive to metals
 H314 - Causes severe skin burns and eye damage
 H318 - Causes serious eye damage
 H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ eye protection/ face protection
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P363 - Wash contaminated clothing before reuse
 P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower
 P308 - IF exposed or concerned
 P310 - Immediately call a POISON CENTER or doctor/ physician
 P273 - Avoid release to the environment
 P391 - Collect spillage
 P405 - Store locked up
 P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Silver Nitrate	7761-88-8	7-13	Skin Corr. 1B (H314) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Met. Corr. 1 H290

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required.
Notes to physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Clean contaminated surface thoroughly. Dike far ahead of liquid spill for later disposal. Take up mechanically and collect in suitable container for disposal. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.
Other information	Refer to protective measures listed in sections 7 and 8.

7. HANDLING AND STORAGE

Advice on safe handling	Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silver Nitrate 7761-88-8	TWA: 0.01 mg/m ³ Ag	TWA: 0.01 mg/m ³ Ag (vacated) TWA: 0.01 mg/m ³ Ag	IDLH: 10 mg/m ³ Ag TWA: 0.01 mg/m ³ Ag

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Face-shield.
Skin and body protection Long sleeved clothing. Protective gloves.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	Liquid
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor Pressure @20°C (kPa)	No information available
Specific Gravity	No data available	VOC Content(%)	Not applicable
Evaporation rate	No information available		
Vapor density	No data available		

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Corrosive to skin, eyes and/or respiratory tract.

Inhalation Corrosive by inhalation Causes burns

Eye contact Causes burns Corrosive to eyes

Skin contact Corrosive Causes burns

Ingestion Causes burns

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silver Nitrate	1173 mg/kg (Rat)		

Chronic toxicity

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen Avoid repeated exposure Possible risks of irreversible effects

carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
Silver Nitrate		Group 2A		X

IARC: (International Agency for Research on Cancer)
 Group 2A - Probably Carcinogenic to Humans
OSHA: (Occupational Safety & Health Administration)
 X - Present

Target Organ Effects Eyes. Nasal Septum. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Silver Nitrate		0.00512-0.00787: 96 h Poecilia reticulata mg/L LC50 semi-static 0.009-0.02: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.0242-0.0484: 96 h Lepomis macrochirus mg/L LC50 semi-static 0.05-0.07: 96 h Lepomis macrochirus mg/L LC50 static 0.001339-0.001637: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.0075: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.00839-0.1802: 96 h Oncorhynchus mykiss mg/L LC50 static 0.00452-0.00638: 96 h Pimephales promelas mg/L LC50 flow-through 0.00181-0.00214: 96 h Pimephales promelas mg/L LC50 static 0.0064-0.0106: 96 h Pimephales promelas mg/L LC50 semi-static 0.009: 96 h Pimephales promelas mg/L LC50 0.0027: 96 h Cyprinus carpio mg/L LC50 semi-static		0.0006: 48 h Daphnia magna mg/L EC50 0.0008 - 0.001: 48 h Daphnia magna mg/L EC50 Flow through 0.0008 - 0.0011: 48 h Daphnia magna mg/L EC50 Static

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Dispose of in accordance with local regulations.

Contaminated packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Silver Nitrate	Toxic

14. TRANSPORT INFORMATION

DOT Limited Quantity
Proper shipping name Corrosive liquid, n.o.s. (Silver nitrate solution)
Hazard class 8
UN/ID No UN1760
Packing group II

IATA Limited Quantity
UN/ID No UN1760
Proper shipping name Corrosive liquid, n.o.s. (Silver nitrate solution)
Hazard class 8

Packing group	II
ADR	Limited Quantity
Proper shipping name	Corrosive liquid, n.o.s. (Silver nitrate solution)
Hazard class	8
UN/ID No	UN1760
Packing group	II

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Silver Nitrate	7761-88-8	10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Silver Nitrate	1 lb	X		X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Silver Nitrate	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Silver Nitrate	X	X	X		X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Silver Nitrate		Mexico: TWA 0.01 mg/m ³

WHMIS Note: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H290 - May be corrosive to metals

Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H410 - Very toxic to aquatic life with long lasting effects

Revision Date 13-Feb-2020

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date No data available

Revision Date 13-Feb-2020

Version 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Potassium Permanganate Solution

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone +1 866 928 0789 (Toll free) /+1 202 464 2554

2. HAZARDS IDENTIFICATION

GHS - Classification

Chronic aquatic toxicity	Category 3
--------------------------	------------

GHS Label elements, including precautionary statements

Hazard statements

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Potassium permanganate	7722-64-7	0.1-1	Repr. 2 (H361d) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Ox. Sol. 2 (H272)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Technical measures/Storage conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium permanganate 7722-64-7	TWA: 0.2 mg/m ³ Mn	(vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 500 mg/m ³ Mn TWA: 1 mg/m ³ Mn STEL: 3 mg/m ³ Mn

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures
Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection Long sleeved clothing. Protective gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	odorless.
Odor Threshold	No information available	Physical State @20°C	Liquid
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor Pressure @20°C (kPa)	No information available
Specific Gravity	No data available	VOC Content(%)	Not applicable

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products None known based on information supplied.

Conditions to avoid None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium permanganate	750 mg/kg (Rat)		

Chronic toxicity

Target Organ Effects Blood. Central nervous system (CNS). Kidney. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Potassium permanganate		3.3-3.93: 96 h Carassius auratus mg/L LC50 static 2.97-3.11: 96 h Cyprinus carpio mg/L LC50 3.16-3.77: 96 h Cyprinus carpio mg/L LC50 2.3: 96 h Lepomis macrochirus mg/L LC50 flow-through 1.8-5.6: 96 h Lepomis macrochirus mg/L LC50 static 2.7: 96 h Lepomis macrochirus mg/L LC50 1.08-1.38: 96 h Oncorhynchus mykiss mg/L LC50 0.769-1.27: 96 h Oncorhynchus mykiss mg/L LC50 static		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Potassium permanganate	Toxic Corrosive Ignitable

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Potassium permanganate	7722-64-7	1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium permanganate	100 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ

Potassium permanganate	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
------------------------	--------	--	---

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Potassium permanganate	X	X	X	X	X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Potassium permanganate		Mexico: TWA 0.2 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H272 - May intensify fire; oxidizer H302 - Harmful if swallowed H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H361d - Suspected of damaging the unborn child

Hazard statements

H412 - Harmful to aquatic life with long lasting effects

Revision Date 13-Feb-2020

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date No data available

Revision Date 13-Feb-2020

Version 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Potassium Hydroxide Solution (10%)

UN/ID No UN1814

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone +1 866 928 0789 (Toll free) /+1 202 464 2554

2. HAZARDS IDENTIFICATION

GHS - Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements

H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ eye protection/ face protection

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/ physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Potassium hydroxide	1310-58-3	7-13	Skin Corr. 1A (H314) Acute Tox. 4 (H302)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediate medical attention is required.
Notes to physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.
Other information	Refer to protective measures listed in sections 7 and 8.

7. HANDLING AND STORAGE

Advice on safe handling	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures
Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection	Tightly fitting safety goggles. Face-shield.
Skin and body protection	Long sleeved clothing. Protective gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless.	Odor	odorless.
Odor Threshold	No information available	Physical State @20°C	Liquid
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor Pressure @20°C (kPa)	No information available
Specific Gravity	No data available	VOC Content(%)	Not applicable

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Corrosive to skin, eyes and/or respiratory tract.
Inhalation	Corrosive by inhalation Causes burns
Eye contact	Causes burns Corrosive to eyes
Skin contact	Corrosive Causes burns
Ingestion	Causes burns

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium hydroxide	214 mg/kg (Rat)		

Chronic toxicity

Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen Avoid repeated exposure Possible risks of irreversible effects
-------------------------	--

Target Organ Effects	None known.
-----------------------------	-------------

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Potassium hydroxide		80: 96 h Gambusia affinis mg/L LC50 static		
Chemical Name		log Pow		
Potassium hydroxide		0.83		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
-------------------------------	---

Contaminated packaging	Do not re-use empty containers.
-------------------------------	---------------------------------

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT Excepted Quantity
Proper shipping name Potassium hydroxide solution
Hazard class 8
UN/ID No UN1814
Packing group II

IATA Excepted Quantity
UN/ID No UN1814
Proper shipping name Potassium hydroxide solution
Hazard class 8
Packing group II

ADR Excepted Quantity
Proper shipping name Potassium hydroxide solution
Hazard class 8
UN/ID No UN1814
Packing group II

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Potassium hydroxide	X	X	X		X

International Regulations**WHMIS Note:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H314 - Causes severe skin burns and eye damage H302 - Harmful if swallowed

Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Revision Date 13-Feb-2020

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date No data available

Revision Date 13-Feb-2020

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Sulfuric Acid Solution (1N)

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone +1 866 928 0789 (Toll free) /+1 202 464 2554

2. HAZARDS IDENTIFICATION

GHS - Classification

Ozone	Not applicable
-------	----------------

GHS Label elements, including precautionary statements

Not dangerous

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ protective clothing

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Sulphuric acid	7664-93-9	1-5	Skin Corr. 1A (H314)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water. Drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulphuric acid 7664-93-9	TWA: 0.2 mg/m ³ thoracic fraction	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Long sleeved clothing. Protective gloves.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless.	Odor	odorless.
Odor Threshold	No information available	Physical State @20°C	Liquid
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor Pressure @20°C (kPa)	No information available
Specific Gravity	No data available	VOC Content(%)	Not applicable
Evaporation rate	No information available		
Vapor density	No data available		

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products None known based on information supplied.

Conditions to avoid None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulphuric acid	2140 mg/kg (Rat)		510 mg/m ³ (Rat) 2 h 347 ppm (Rat) 1 h

Chronic toxicity

Chemical Name	ACGIH	IARC	NTP	OSHA
Sulphuric acid	A2	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sulphuric acid		500: 96 h Brachydanio rerio mg/L LC50 static		29: 24 h Daphnia magna mg/L EC50

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sulphuric acid	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR

Not dangerous goods

15. REGULATORY INFORMATION**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Sulphuric acid	7664-93-9	1.96	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulphuric acid	1000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sulphuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Sulphuric acid	7664-93-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sulphuric acid	X	X	X	X	X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
Sulphuric acid	A2	Mexico: TWA 1 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H314 - Causes severe skin burns and eye damage

Revision Date

13-Feb-2020

Revision Note

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS