

## Kit Summary

**Product Code(s)** AB237663  
**Product name** anti-Denosumab ELISA Kit (Prolia®)

### Stop Solution

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Hydrochloric acid	231-595-7	7647-01-0	5	Met. Corr. 1 (H290) STOT SE 3 (H335) Skin Corr. 1A (H314)	-

### GHS / CLP - GHS - Classification



**Signal Word**  
Warning

**Hazard statements**  
H290 - May be corrosive to metals

### **Precautionary Statements - EU (§28, 1272/2008)**

P234 - Keep only in original container  
P390 - Absorb spillage to prevent material damage  
P406 - Store in corrosive resistant stainless steel container with a resistant inliner  
P405 - Store locked up  
P501 - Dispose of contents/container to location in accordance with local/regional/national/international regulations.

### 2.3 Other information

A safety datasheet follows for all potentially hazardous components – all other components are non-hazardous.

### TRANSPORT INFORMATION

**DOT** Not dangerous goods  
**IATA** Not dangerous goods  
**ADR** Not dangerous goods

# Safety Data Sheet

Issuing date No data available

Revision Date 14-Aug-2018

Version 2

## 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Product name</b>	<b>Stop Solution</b>
<b>Recommended use</b>	For research use only
<b>Supplier Address</b>	Abcam Inc 1 Kendall Square, Ste 341 Cambridge, MA 02139-1517 USA Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)
<b>E-mail address</b>	technical@abcam.com
<b>Emergency telephone</b>	Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

## 2. HAZARDS IDENTIFICATION

### GHS - Classification

Substances/mixtures corrosive to metal

Category 1

### GHS Label elements, including precautionary statements



### Signal Word

Warning

### Hazard statements

H290 - May be corrosive to metals

### Precautionary Statements - EU (§28, 1272/2008)

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

P406 - Store in corrosive resistant stainless steel container with a resistant inliner

P405 - Store locked up

P501 - Dispose of contents/container to location in accordance with local/regional/national/international regulations.

**Other information**

No information available

**3. COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
Hydrochloric acid	7647-01-0	3-7	Met. Corr. 1 (H290) STOT SE 3 (H335) Skin Corr. 1A (H314)

For the full text of the H-Statements mentioned in this Section, see Section 16

**4. FIRST AID MEASURES**

<b>General advice</b>	If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Inhalation</b>	Move to fresh air. If symptoms persist, call a physician. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors.
<b>Ingestion</b>	Immediate medical attention is not required. Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.
<b>Notes to physician</b>	Treat symptomatically.
<b>Protection of first-aiders</b>	Use personal protective equipment.

**5. FIRE-FIGHTING MEASURES**

<b>Flammable properties</b>	Not flammable.
<b>Flash point</b>	not determined
<b>Suitable extinguishing media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.

**Protective equipment and precautions for firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions** Use personal protective equipment. Avoid contact with the skin and the eyes. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains. Dam up.

**7. HANDLING AND STORAGE**

**Advice on safe handling** Ensure adequate ventilation. Wear personal protective equipment. Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors or spray mist.

**Technical measures/Storage conditions** Keep container tightly closed. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m <sup>3</sup> Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>

**Engineering measures** Showers  
Eyewash stations  
Ventilation systems

**Personal protective equipment**

**Eye/face protection** Tightly fitting safety goggles. Face-shield.

**Skin and body protection** No special protective equipment required.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	No information available.	<b>Odor</b>	No information available.
<b>Odor Threshold</b>	No information available	<b>Physical State @20°C</b>	Liquid
<b>pH</b>	No information available	<b>Autoignition temperature</b>	No information available
<b>Flash point</b>	No information available	<b>Boiling point/boiling range</b>	No information available
<b>Decomposition temperature</b>	No information available	<b>Flammability Limits in Air</b>	No information available
<b>Melting point/range</b>	No information available		
<b>Explosion limits</b>	No information available		
<b>Specific Gravity</b>	No data available	<b>solubility</b>	No information available.
<b>Evaporation rate</b>	No information available	<b>Vapor Pressure @20°C (kPa)</b>	No information available
<b>Vapor density</b>	No data available	<b>VOC Content(%)</b>	Not applicable

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under recommended storage conditions.
<b>Incompatible products</b>	None known based on information supplied.
<b>Conditions to avoid</b>	None known based on information supplied.
<b>Hazardous decomposition products</b>	None known based on information supplied.
<b>Hazardous polymerization</b>	Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

<b>Product Information</b>	Corrosive to skin, eyes and/or respiratory tract.
<b>Inhalation</b>	Corrosive by inhalation Causes burns
<b>Eye contact</b>	Causes burns Corrosive to eyes
<b>Ingestion</b>	Causes burns

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	700 mg/kg ( Rat )	5010 mg/kg ( Rabbit )	3124 ppm ( Rat ) 1 h

### Chronic toxicity

<b>Chronic toxicity</b>	Avoid repeated exposure
-------------------------	-------------------------

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrochloric acid		Group 3		

#### **IARC: (International Agency for Research on Cancer)**

Group 3 - Not Classifiable as to Carcinogenicity in Humans

<b>Target Organ Effects</b>	Eyes. Respiratory system. Skin.
-----------------------------	---------------------------------

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Hydrochloric acid		282: 96 h <i>Gambusia affinis</i> mg/L LC50 static		

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated packaging** Do not re-use empty containers.

**14. TRANSPORT INFORMATION**

**DOT** Not dangerous goods

**IATA** Not dangerous goods

**ADR** Not dangerous goods

**15. REGULATORY INFORMATION**

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Hydrochloric acid	7647-01-0	4.99	1.0

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	yes
<b>Chronic Health Hazard</b>	no
<b>Fire Hazard</b>	no
<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	no

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid	5000 lb			X

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrochloric acid	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

**U.S. State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hydrochloric acid	X	X	X	X	X

**International Regulations**

Chemical Name	Carcinogen Status	Exposure limits
Hydrochloric acid		Mexico: Ceiling 5 ppm Mexico: Ceiling 7 mg/m <sup>3</sup>

**WHMIS Note:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**16. OTHER INFORMATION**

**Full text of H-Statements referred to under sections 2 and 3**

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation

**Hazard statements**

H290 - May be corrosive to metals

**Revision Date**

14-Aug-2018

**Revision Note**

No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS**