

Safety Data Sheet

Issuing date no data available

Revision Date 13-Jul-2015

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name AEC Substrate System (Ready to Use)

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

Acute inhalation toxicity - vapor	Category 4
Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Ozone	Not applicable

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements

H319 - Causes serious eye irritation
H350 - May cause cancer
H360 - May damage fertility or the unborn child

Precautionary Statements - EU (§28, 1272/2008)

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/ eye protection/ face protection

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	CAS-No	Weight %	Classification (Reg. 1272/2008)
DMF	68-12-2	1-5	Eye Irrit. 2 (H319) Repr. 1B (H360D) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Flam Liq. 3 (H226)
AEC	132-32-1	0.1-1	Acute Tox. 3 (H301) Carc. 1B (H350)
Hydrogen peroxide	7722-84-1	<0.1	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Eye Dam. 1 (H318)

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice	Immediate medical attention is required.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician immediately.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. Immediate medical attention is required. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Drink plenty of water.
Notes to physician	Treat symptomatically.
Protection of first-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable.
Flash point	not determined
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	none.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Use personal protective equipment. Keep people away from and upwind of spill/leak.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods for containment	Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Advice on safe handling	Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product.
--------------------------------	---

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
DMF 68-12-2	TWA: 10 ppm S*	TWA: 10 ppm TWA: 30 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m ³ (vacated) S* S*	IDLH: 500 ppm TWA: 10 ppm TWA: 30 mg/m ³
Hydrogen peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles.
Skin and body protection No special protective equipment required.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No information available.	Odor	No information available.
Odor Threshold	No information available	Physical State @20°C	No information available
pH	No information available	Autoignition temperature	No information available
Flash point	No information available	Boiling point/boiling range	No information available
Decomposition temperature	No information available	Flammability Limits in Air	No information available
Melting point/range	No information available	solubility	No information available.
Explosion limits	No information available	Vapor density	no data available
Specific Gravity	no data available		
Evaporation rate	No information available		
VOC Content(%)	3		

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Incompatible products None known based on information supplied.

Conditions to avoid None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Irritating to skin, eyes and / or respiratory tract.

Inhalation May cause irritation of respiratory tract

Eye contact May cause irritation

Skin contact May cause irritation

Ingestion Ingestion may cause irritation to mucous membranes

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
DMF	200 mg/kg (Rat)	3.2 g/kg (Rat)	
AEC	144 mg/kg (Rat)		
Hydrogen peroxide	801 mg/kg (Rat)	4060 mg/kg (Rat) 2000 mg/kg (Rabbit)	2 mg/L (Rat) 4 h

Chronic toxicity

Chronic toxicity May cause adverse liver effects

Carcinogenicity

This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	ACGIH	IARC	NTP	OSHA
DMF		Group 3		
Hydrogen peroxide	A3	Group 3		

IARC: (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Mutagenic effects Possible risks of irreversible effects.

Reproductive toxicity Product is or contains a chemical which is a known or suspected reproductive hazard

Developmental Toxicity Contains ingredients that have suspected developmental hazards Possible risk of harm to the unborn child May cause birth defects

Target Organ Effects Central Vascular System (CVS). Eyes. Kidney. Liver. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
DMF	500: 96 h Desmodesmus subspicatus mg/L EC50	6300: 96 h Lepomis macrochirus mg/L LC50 9800: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 10410: 96 h Pimephales promelas mg/L LC50 flow-through		7500: 48 h Daphnia magna mg/L EC50 8485: 48 h Daphnia magna mg/L EC50 semi-static 6800 - 13900: 48 h Daphnia magna mg/L EC50 Static
Hydrogen peroxide	2.5: 72 h Chlorella vulgaris mg/L EC50	16.4: 96 h Pimephales promelas mg/L LC50 18-56: 96 h Lepomis macrochirus mg/L LC50 static 10.0-32.0: 96 h Oncorhynchus mykiss mg/L LC50 static		7.7: 24 h Daphnia magna mg/L EC50 18 - 32: 48 h Daphnia magna mg/L EC50 Static
Chemical Name		log Pow		
DMF		-1.028		

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Hydrogen peroxide	Toxic Corrosive Ignitable Reactive

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
DMF	68-12-2	3	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard yes

Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
DMF	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Hydrogen peroxide		1000 lb	

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
DMF	X	X	X	X	X
Hydrogen peroxide	X	X	X		X

International Regulations

Chemical Name	Carcinogen Status	Exposure limits
DMF		Mexico: TWA 10 ppm Mexico: TWA 30 mg/m ³ Mexico: STEL 20 ppm Mexico: STEL 60 mg/m ³
Hydrogen peroxide	A3	Mexico: TWA 1 ppm Mexico: TWA 1.5 mg/m ³ Mexico: STEL 2 ppm Mexico: STEL 3 mg/m ³

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H226 - Flammable liquid and vapor H301 - Toxic if swallowed H302 + H332 - Harmful if swallowed or if inhaled

H312 + H332 - Harmful in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage H319 - Causes serious eye irritation H350 - May cause cancer if swallowed

H360D - May damage the unborn child

Hazard statements

H319 - Causes serious eye irritation

H350 - May cause cancer

H360 - May damage fertility or the unborn child

Revision Date 13-Jul-2015

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS