

Kit Summary

Product Code(s) AB83369
Product name Alkaline Phosphatase Assay Kit (Colorimetric)

ALP Assay buffer

| Chemical Name | EC-No | CAS-No | Weight % | Classification (Reg. 1272/2008) | REACH Registration Number |
|---------------|-----------|-----------|----------|---|---------------------------|
| Brij | - | 9002-92-0 | 0.5 | Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Acute Tox. 4 (H302) | - |
| Zinc chloride | 231-592-0 | 7646-85-7 | 0.0014 | Skin Corr. 1B (H314) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | - |

Stop Solution

| Chemical Name | EC-No | CAS-No | Weight % | Classification (Reg. 1272/2008) | REACH Registration Number |
|------------------|-----------|-----------|----------|---------------------------------|---------------------------|
| Sodium hydroxide | 215-185-5 | 1310-73-2 | 5 | Skin Corr. 1A (H314) | - |

GHS / CLP - GHS - Classification



Signal Word
Danger

Hazard statements

H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ eye protection/ face protection

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/ physician

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P363 - Wash contaminated clothing before reuse

P310 - Immediately call a POISON CENTER or doctor/ physician

P390 - Absorb spillage to prevent material damage

P234 - Keep only in original container

P405 - Store locked up

P406 - Store in corrosive resistant stainless steel container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3 Other information

A safety datasheet follows for all potentially hazardous components – all other components are non-hazardous.

TRANSPORT INFORMATION

| | |
|-----------------------------|---------------------------|
| DOT | Excepted Quantity |
| Proper shipping name | Sodium hydroxide solution |
| Hazard class | 8 |
| UN/ID No | UN1824 |
| Packing group | II |

| | |
|-----------------------------|---------------------------|
| IATA | Excepted Quantity |
| UN/ID No | UN1824 |
| Proper shipping name | Sodium hydroxide solution |
| Hazard class | 8 |
| Packing group | II |

| | |
|-----------------------------|---------------------------|
| ADR | Excepted Quantity |
| Proper shipping name | Sodium hydroxide solution |
| Hazard class | 8 |
| UN/ID No | UN1824 |
| Packing group | II |

Safety Data Sheet

Issuing date No data available

Revision Date 01-Mar-2019

Version 7

1. PRODUCT AND COMPANY IDENTIFICATION

Product name ALP Assay buffer

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

| | |
|-------|----------------|
| Ozone | Not applicable |
|-------|----------------|

GHS Label elements, including precautionary statements

Not dangerous

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Chemical Name | CAS-No | Weight % | Classification (Reg. 1272/2008) |
|---------------|-----------|----------|---|
| Brij | 9002-92-0 | 0.1-1 | Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Acute Tox. 4 (H302) |
| Zinc chloride | 7646-85-7 | <0.1 | Skin Corr. 1B (H314) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) |

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

| | |
|---------------------------|--|
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Inhalation | Move to fresh air. |
| Ingestion | Clean mouth with water. Drink plenty of water. |
| Notes to physician | Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

| | |
|--|--|
| Flammable properties | Not flammable. |
| Flash point | not determined |
| Suitable extinguishing media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |
| Protective equipment and precautions for firefighters | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes. |

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** Ensure adequate ventilation.
- Environmental precautions** Try to prevent the material from entering drains or water courses.
- Methods for containment** Prevent further leakage or spillage if safe to do so.
- Methods for cleaning up** Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

- Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.
- Technical measures/Storage conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------|---|--|--|
| Zinc chloride 7646-85-7 | STEL: 2 mg/m ³ fume TWA: 1 mg/m ³ fume | TWA: 1 mg/m ³ fume (vacated) TWA: 1 mg/m ³ fume (vacated) STEL: 2 mg/m ³ fume | IDLH: 50 mg/m ³ fume TWA: 1 mg/m ³ fume STEL: 2 mg/m ³ fume |

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
Eyewash stations
Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection Long sleeved clothing. Protective gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|----------------------------------|---------------------------|------------------------------------|---------------------------|
| Appearance | No information available. | Odor | No information available. |
| Odor Threshold | No information available | Physical State @20°C | No information available |
| pH | No information available | Autoignition temperature | No information available |
| Flash point | No information available | Boiling point/boiling range | No information available |
| Decomposition temperature | No information available | Flammability Limits in Air | No information available |
| Melting point/range | No information available | | |
| Explosion limits | No information available | | |
| Specific Gravity | No data available | solubility | No information available. |
| Evaporation rate | No information available | Vapor Pressure @20°C (kPa) | No information available |
| Vapor density | No data available | VOC Content(%) | Not applicable |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Stability | Stable under recommended storage conditions. |
| Incompatible products | None known based on information supplied. |
| Conditions to avoid | None known based on information supplied. |
| Hazardous decomposition products | None known based on information supplied. |
| Hazardous polymerization | Hazardous polymerization does not occur. |

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------|-------------------|-------------|-----------------|
| Brij | 1 g/kg (Rat) | | |
| Zinc chloride | 350 mg/kg (Rat) | | |

Chronic toxicity

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| Zinc chloride | Toxic Corrosive |

14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

ADR Not dangerous goods

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|----|
| Acute Health Hazard | no |
| Chronic Health Hazard | no |
| Fire Hazard | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard | no |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Zinc chloride | 1000 lb | X | | X |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|---------------|--------------------------|------------------------------------|--|
| Zinc chloride | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---------------|---------------|------------|--------------|----------|--------------|
| Zinc chloride | X | X | X | | X |

International Regulations

| Chemical Name | Carcinogen Status | Exposure limits |
|---------------|-------------------|---|
| Zinc chloride | | Mexico: TWA 1 mg/m ³ Mexico: STEL 2 mg/m ³ |

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H315 - Causes skin irritation H318 - Causes serious eye damage H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects

Revision Date

01-Mar-2019

Revision Note

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Safety Data Sheet

Issuing date No data available

Revision Date 01-Mar-2019

Version 9

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Stop Solution

UN/ID No UN1824

Recommended use For research use only

Supplier Address Abcam Inc
1 Kendall Square, Ste 341
Cambridge, MA 02139-1517
USA
Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free)
Fax: (866) 739-9884 or (866) 457-9616 (both US toll free)

E-mail address technical@abcam.com

Emergency telephone Tel: (617)225-2272 or 888-77-ABCAM (22226) (US toll free) - Monday-Friday 8am-9pm EST

2. HAZARDS IDENTIFICATION

GHS - Classification

| | |
|--|-------------|
| Skin corrosion/irritation | Category 1A |
| Substances/mixtures corrosive to metal | Category 1 |

GHS Label elements, including precautionary statements



Signal Word
Danger

Hazard statements

H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ eye protection/ face protection

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/ physician

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P363 - Wash contaminated clothing before reuse

P310 - Immediately call a POISON CENTER or doctor/ physician

P390 - Absorb spillage to prevent material damage

P234 - Keep only in original container

P405 - Store locked up

P406 - Store in corrosive resistant stainless steel container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

| Chemical Name | CAS-No | Weight % | Classification (Reg. 1272/2008) |
|------------------|-----------|----------|---------------------------------|
| Sodium hydroxide | 1310-73-2 | 3-7 | Skin Corr. 1A (H314) |

For the full text of the H-Statements mentioned in this Section, see Section 16

4. FIRST AID MEASURES

| | |
|---------------------------|--|
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Inhalation | Move to fresh air. |
| Ingestion | Clean mouth with water. Drink plenty of water. |
| Notes to physician | Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

| | |
|-----------------------------|----------------|
| Flammable properties | Not flammable. |
| Flash point | not determined |

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation.

Environmental precautions Try to prevent the material from entering drains or water courses.

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Technical measures/Storage conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------|------------------------------|--|--|
| Sodium hydroxide 1310-73-2 | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³ | |
| Sodium hydroxide 1310-73-2 | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³ | IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³ |

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering measures Showers
 Eyewash stations
 Ventilation systems

Personal protective equipment

Eye/face protection Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection Long sleeved clothing. Protective gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|----------------------------------|--------------------------|------------------------------------|---------------------------|
| Appearance | Colorless. | Odor | No information available. |
| Odor Threshold | No information available | Physical State @20°C | Liquid |
| pH | No information available | Autoignition temperature | No information available |
| Flash point | No information available | Boiling point/boiling range | No information available |
| Decomposition temperature | No information available | Flammability Limits in Air | No information available |
| Melting point/range | No information available | | |
| Explosion limits | No information available | | |
| Specific Gravity | No data available | solubility | No information available. |
| Evaporation rate | No information available | Vapor Pressure @20°C (kPa) | No information available |
| Vapor density | No data available | VOC Content(%) | Not applicable |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Stability | Stable under recommended storage conditions. |
| Incompatible products | None known based on information supplied. |
| Conditions to avoid | None known based on information supplied. |
| Hazardous decomposition products | None known based on information supplied. |
| Hazardous polymerization | Hazardous polymerization does not occur. |

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------|-----------|-----------------------|-----------------|
| Sodium hydroxide | | 1350 mg/kg (Rabbit) | |
| Sodium hydroxide | | 1350 mg/kg (Rabbit) | |

Chronic toxicity

carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

IARC: (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Target Organ Effects Eyes. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to microorganisms | Toxicity to daphnia and other aquatic invertebrates |
|------------------|-------------------|---|----------------------------|---|
| Sodium hydroxide | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | | |
| Sodium hydroxide | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | | |

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging Do not re-use empty containers.

| Chemical Name | California Hazardous Waste Status |
|------------------|-----------------------------------|
| Sodium hydroxide | Toxic Corrosive |

14. TRANSPORT INFORMATION

DOT Excepted Quantity
Proper shipping name Sodium hydroxide solution
Hazard class 8
UN/ID No UN1824
Packing group II

IATA Excepted Quantity
UN/ID No UN1824
Proper shipping name Sodium hydroxide solution
Hazard class 8
Packing group II

ADR Excepted Quantity
Proper shipping name Sodium hydroxide solution
Hazard class 8
UN/ID No UN1824
Packing group II

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-------------------|-----------|----------|-------------------------------|
| Hydrochloric acid | 7647-01-0 | 5 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|--|----|
| Acute Health Hazard | no |
| Chronic Health Hazard | no |
| Fire Hazard | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard | no |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Sodium hydroxide | 1000 lb | | | X |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|------------------|--------------------------|------------------------------------|--|
| Sodium hydroxide | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Hydrochloric acid | X | X | X | X | X |

International Regulations

| Chemical Name | Carcinogen Status | Exposure limits |
|------------------|-------------------|-------------------------------------|
| Sodium hydroxide | | Mexico: Ceiling 2 mg/m ³ |

WHMIS Note:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage

Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

Revision Date 01-Mar-2019

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS