

Product datasheet

Recombinant Human PD1 protein (Tagged) (Biotin)
 ab271656

1 Image

Description

Product name	Recombinant Human PD1 protein (Tagged) (Biotin)
Purity	>= 90 % SDS-PAGE.
Expression system	HEK 293 cells
Accession	Q15116
Protein length	Protein fragment
Animal free	No
Nature	Recombinant
Species	Human
Sequence	LDSPDRPWNPTTFSPALLVVTEGDNATFTCSFSNTSESF VLNWYRMSPSN QTDKLAAPEDRSQPGQDCRFRVTQLPNGRDFHMSVVR ARRNDSGTYLCG AISLAPKAQIKESLRAELRVTERRAEVPTAHPSPSPRPAG QFQ
Molecular weight information	This protein runs at a higher MW by SDS-PAGE due to glycosylation.
Amino acids	25 to 167
Tags	Avi tag C-Terminus , Fc tag C-Terminus
Additional sequence information	Human Fc.
Conjugation	Biotin

Specifications

Our [Abpromise guarantee](#) covers the use of **ab271656** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Applications	SDS-PAGE
Form	Liquid
Additional notes	Enzymatically biotin-labeled using Avi-tag™ technology

Preparation and Storage

Stability and Storage

Shipped on Dry Ice. Store at -80°C. Avoid freeze / thaw cycle. Store In the Dark.

pH: 7.40

Constituents: 0.13% Sodium phosphate, 0.64% Sodium chloride, 0.02% Potassium chloride, 20% Glycerol (glycerin, glycerine)

General Info

Function

Possible cell death inducer, in association with other factors.

Involvement in disease

Genetic variation in PDCD1 is associated with susceptibility to systemic lupus erythematosus type 2 (SLEB2) [MIM:605218]. Systemic lupus erythematosus is a chronic, inflammatory and often febrile multisystemic disorder of connective tissue. It affects principally the skin, joints, kidneys and serosal membranes. It is thought to represent a failure of the regulatory mechanisms of the autoimmune system.

Sequence similarities

Contains 1 Ig-like V-type (immunoglobulin-like) domain.


Developmental stage

Induced at programmed cell death.

Cellular localization

Membrane.

Images



SDS-PAGE analysis of 2 µg ab271656.

This protein runs at a higher MW by SDS-PAGE due to glycosylation.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors