

Product datasheet

Recombinant Rabbit TNF alpha protein ab151195

Description

Product name	Recombinant Rabbit TNF alpha protein	
Purity	> 95 % SDS-PAGE. ab151195 was purified by Ion-exchange Chromatography.	
Expression system	Yeast	
Accession	P04924	
Protein length	Protein fragment	
Animal free	No	
Nature	Recombinant	
Species	Rabbit	
Sequence	SASRALSDKP LAHVVANPQV EGQLQWLSQR ANALLANGMK LTDNQLVPA DGLYLIYSQV LFSGQGCRSY VLLTHTVSRF AVSYPNKVNL LSAIKSPCHR ETPEEAEPMA WYEPMLGGV FQLEKGDRLS TEVNPQPEYLD LAESGQVYFG IIAL	
Predicted molecular weight	17 kDa	
Amino acids	82 to 235	

Specifications

Our [Abpromise guarantee](#) covers the use of **ab151195** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Applications	SDS-PAGE
Form	Lyophilized

Preparation and Storage

Stability and Storage	Shipped at 4°C. Store at -20°C. Avoid freeze / thaw cycle. Constituents: 89% PBS, 10% Trehalose
Reconstitution	Reconstitute with sterile phosphate-buffered saline containing at least 0.1% carrier protein.

General Info

Function	Cytokine that binds to TNFRSF1A/TNFR1 and TNFRSF1B/TNFR2. It is mainly secreted by macrophages and can induce cell death of certain tumor cell lines. It is potent pyrogen causing fever by direct action or by stimulation of interleukin-1 secretion and is implicated in the induction of cachexia. Under certain conditions it can stimulate cell proliferation and induce cell differentiation.
Involvement in disease	Genetic variations in TNF are a cause of susceptibility psoriatic arthritis (PSORAS) [MIM:607507]. PSORAS is an inflammatory, seronegative arthritis associated with psoriasis. It is a heterogeneous disorder ranging from a mild, non-destructive disease to a severe, progressive, erosive arthropathy. Five types of psoriatic arthritis have been defined: asymmetrical oligoarthritis characterized by primary involvement of the small joints of the fingers or toes; asymmetrical arthritis which involves the joints of the extremities; symmetrical polyarthritis characterized by a rheumatoidlike pattern that can involve hands, wrists, ankles, and feet; arthritis mutilans, which is a rare but deforming and destructive condition; arthritis of the sacroiliac joints and spine (psoriatic spondylitis).
Sequence similarities	Belongs to the tumor necrosis factor family.
Post-translational modifications	The soluble form derives from the membrane form by proteolytic processing. The membrane form, but not the soluble form, is phosphorylated on serine residues. Dephosphorylation of the membrane form occurs by binding to soluble TNFRSF1A/TNFR1. O-glycosylated; glycans contain galactose, N-acetylgalactosamine and N-acetylneuraminic acid.
Cellular localization	Secreted and Cell membrane.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors