

Product datasheet

Anti-UMOD antibody ab217354

1 References 3 Images

Overview

Product name	Anti-UMOD antibody
Description	Rabbit polyclonal to UMOD
Host species	Rabbit
Tested applications	Suitable for: WB, IHC-P
Species reactivity	Reacts with: Mouse, Rat, Human
Immunogen	Synthetic peptide within Mouse UMOD aa 375-420 conjugated to keyhole limpet haemocyanin. The exact sequence is proprietary. Sequence: ERDWMS ITPARNGPC GTVLRNETH ATYSNTLYLA NAIIIRDIII

Database link: [Q91X17](#)

 [Run BLAST with](#)

 [Run BLAST with](#)

Positive control Rat and mouse kidney lysates; human kidney carcinoma lysate; mouse kidney tissue.

General notes Previously labelled as Uromucoid.

Reproducibility is key to advancing scientific discovery and accelerating scientists' next breakthrough.

Abcam is leading the way with our range of recombinant antibodies, knockout-validated antibodies and knockout cell lines, all of which support improved reproducibility.

We are also planning to innovate the way in which we present recommended applications and species on our product datasheets, so that only applications & species that have been tested in our own labs, our suppliers or by selected trusted collaborators are covered by our Abpromise™ guarantee.

In preparation for this, we have started to update the applications & species that this product is Abpromise guaranteed for.

We are also updating the applications & species that this product has been “predicted to work with,” however this information is not covered by our Abpromise guarantee.

Applications & species from publications and Abreviews that have not been tested in our own labs or in those of our suppliers are not covered by the Abpromise guarantee.

Please check that this product meets your needs before purchasing. If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, as well as

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
Storage buffer	Preservative: 0.09% Sodium azide Constituents: 1% BSA, 50% Glycerol
Purity	Protein A purified
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab217354** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/100 - 1/1000. Predicted molecular weight: 71 kDa.
IHC-P		1/100 - 1/500.

Target

Function	Not known. May play a role in regulating the circulating activity of cytokines as it binds to IL-1, IL-2 and TNF with high affinity.
Tissue specificity	Synthesized by kidney. Most abundant protein in normal human urine.
Involvement in disease	Defects in UMOD are the cause of familial juvenile hyperuricemic nephropathy type 1 (HNFJ1) [MIM:162000]. HNFJ1 is a renal disease characterized by juvenile onset of hyperuricemia, polyuria, progressive renal failure, and gout. The disease is associated with interstitial pathological changes resulting in fibrosis. Defects in UMOD are the cause of medullary cystic kidney disease type 2 (MCKD2) [MIM:603860]. MCKD2 is a form of tubulointerstitial nephropathy characterized by formation of renal cysts at the corticomedullary junction. It is characterized by adult onset of impaired renal function and salt wasting resulting in end-stage renal failure by the sixth decade. Defects in UMOD are the cause of glomerulocystic kidney disease with hyperuricemia and isosthenuria (GCKDHI) [MIM:609886]. GCKDHI is a renal disorder characterized by a cystic dilation of Bowman space, a collapse of glomerular tuft, and hyperuricemia due to low fractional excretion of uric acid and severe impairment of urine concentrating ability.
Sequence similarities	Contains 3 EGF-like domains. Contains 1 ZP domain.
Cellular localization	Cell membrane. Secreted. Secreted after cleavage in the urine.

Images




Anti-UMOD antibody (ab217354) at 1/300 dilution + Mouse kidney lysate

Secondary

Goat Anti-Rabbit IgG Antibody (H+L), HRP at 1/5000 dilution

Predicted band size: 71 kDa



All lanes : Anti-UMOD antibody (ab217354) at 1/200 dilution


Lane 1 : rat kidney lysate

Lane 2 : human kidney carcinoma lysate

Secondary

All lanes : Goat Anti-Rabbit IgG Antibody (H+L), HRP at 1/3000 dilution

Predicted band size: 71 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-UMOD antibody (ab217354)

Immunohistochemical analysis of formalin-fixed, paraffin-embedded mouse kidney tissue labeling UMOD with ab217354 at 1/200 dilution followed by conjugation to the secondary antibody and DAB staining.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors