


Product datasheet

Z-LEHD-FMK, caspase-9 inhibitor ab142026

4 References 3 Images


Overview

Product name	Z-LEHD-FMK, caspase-9 inhibitor
Description	Irreversible caspase-9 inhibitor
Biological description	Irreversible caspase-9 inhibitor. Selective anti-apoptotic reagent, does not inhibit apoptosis in all biological systems. Neuroprotective. Cell-permeable. Active <i>in vivo</i> .
Purity	> 98%
General notes	This product is manufactured by BioVision, an Abcam company and was previously called 1074 Caspase-9 Inhibitor Z-LEHD-FMK. 1074-20C is the same size as the 20 µl size of ab142026.
CAS Number	210345-04-3
Chemical structure	


Properties

Molecular weight	690.70
Molecular formula	C ₃₂ H ₄₃ N ₆ O ₁₀
Sequence	LEHD (Modifications: N-terminal benzyloxycarbonyl; C-terminal FMK; Glu-2 = Glu(OMe); Asp-4 = Asp(OMe))
PubChem identifier	44135217
Storage instructions	Shipped at 4°C. Store at -20°C. Store under desiccating conditions.
Solubility overview	Supplied in DMSO (10 mM)
Handling	<p>Wherever possible, you should prepare and use solutions on the same day. However, if you need to make up stock solutions in advance, we recommend that you store the solution as aliquots in tightly sealed vials at -20°C. Generally, these will be useable for up to one week. Before use, and prior to opening the vial we recommend that you allow your product to equilibrate to room temperature for at least 1 hour.</p> <p>See SDS for further information.</p> <p>Need more advice on solubility, usage and handling? Please visit our frequently asked questions (FAQ) page for more details.</p>
SMILES	<chem>CC(C)CC(C(=O)NC(CCC(=O)OC)C(=O)NC(CC1=CN=CN1)C(=O)NC(CC(=O)OC)C(=O)CF)N C(=O)OCC2=CC=CC=C2</chem>

Images




2D chemical structure image of ab142026, Z-LEHD-FMK, caspase-9 inhibitor



Differentiated muscle cells were pre-incubated with 20 μ M Z-LEHD-FMK (irreversible caspase-9 inhibitor) for 30 min before exposure to anoxic conditions. C) Light microscopy pictures demonstrate morphological changes during anoxia treatment. Arrows indicate rounded up, dead cells. D) Live/dead analysis demonstrate increased number of dead cells during 6 h anoxia, but this is unaffected by the irreversible caspase-9 inhibitor.

Cellular activation - Z-LEHD-FMK, caspase-9 inhibitor (ab142026)

Image from Beate Ronning S, et al. Plos One, 12(8), e0182928. Fig 6C and D.; doi: 10.1371/journal.pone.0182928



Functional Studies - Z-LEHD-FMK, caspase-9 inhibitor (ab142026)

Functional assays: Caspase 9 Inhibitor Drug Detection Kit (ab102497)

Titration of the caspase 9 inhibitor Z-LEHD-FMK (ab142026) (duplicates; +/- SD).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES, NOT FOR USE IN HUMANS"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- Abcam biochemicals are novel compounds and we have not tested their biological activity in house. Please use the literature to identify how to use these products effectively. If you require further assistance please contact the scientific support team